

CONTENTS

LIST OF PLATES	II
LIST OF FIGURES	III
1. INTRODUCTION	1
Historical Background	1
Aims and Methodology.....	3
Acknowledgements.....	6
2. RESEARCH AT NESSTOFA.....	7
Structure and Associated Deposits.....	7
Pavement.....	9
Modern Deposits.....	14
Other Deposits	16
Landscape Features.....	16
3. FINDS	18
Ceramic.....	18
Metal	20
Iron.....	21
Copper.....	21
Metalworking Debris	22
Other	22
Stone	22
Bone	23
Discussion.....	23
4. DISCUSSION AND RECOMMENDATIONS: A CRITICAL APPROACH.....	25
Nesstofa: A Social Perspective	25
Recommendations.....	27
5. APPENDICES.....	31
Contexts	31
Finds.....	35
Samples.....	50
Matrix.....	51

LIST OF PLATES

Plate 1. W View of Nesstofa.....	2
Plate 2. Rectangular Structure.....	7
Plate 3. Midden Deposit [229]=[253].....	8
Plate 4. Midden Deposit [359].....	8
Plate 5. Deposit [533].....	9
Plate 6. Pavement in Q. 1.....	10
Plate 7. Pavement in Q. 1	10
Plate 8. Paved Area in Q. 4.....	11
Plate 9. View of Quadrant 4 at NE.....	11
Plate 10. View of Quadrant 4 at NW.....	11
Plate 11. Pavement in Q. 2.....	12
Plate 12. Pavement in Q. 2.....	13
Plate 13. Pavement in Q. 3.....	13
Plate 14. Stone Row in Q. 2.....	14
Plate 15. Stone Row in Q. 3.....	14
Plate 16. Deposit [16934].....	16
Plate 17. Midden [16989].....	16
Plate 18. Building Remains at the SE.....	17
Plate 19. Old ‘Waterway’ Road.....	17
Plate 20. Reconstruction drawing of Nesstofa with the outhouses.....	29

LIST OF TABLES

Table 1. Summary of finds quantities.....	19
Table 2. Percentages illustrating the materials retrieved on site.....	24

LIST OF FIGURES

Figure 1. Site map showing the distribution of finds.....	52
Figure 2. Site map showing the pavement.....	53
Figure 3. Site map and associated landscape feature.....	54

1. Introduction

Permission from the Cultural Heritage Office was granted for a program of archaeological investigation initiated at the immediate to the Nesstofa Museum area in Seltjarnarnes, from the 16 March to the 20 May 2005. The management of the project was undertaken by Guðmundur Ólafsson of the National Museum of Iceland, while the archaeological investigation was carried out by Angelos Parigoris. The project was funded entirely by the Seltjarnarnes Town Council.

Historical Background

Nesstofa is located at the tip of the Nes peninsula in Seltjarnarnes, one of the oldest municipalities in Iceland. Today the landscape of Seltjarnarnes is surrounded by the ocean on the north, west, and south coastlines, while it borders with Reykjavik to the east.

The building of Nesstofa, one of Iceland's oldest concrete houses, was constructed between the years 1761-1763 for Iceland's first Surgeon General, Bjarni Pálsson who utilized the building as his residence and medical centre. The selection of the specific location of the Nes peninsula in Seltjarnarnes for the accommodation of such a building has been the subject of various discussions and given a number of interpretations. It is believed that the decision was caused by a number of reasons. These are as follows: the easy access to the sea, given the fact that most patients were transported by boat; the presence of a farm which was used as a secondary income to the resident, and its associated buildings which after renovation were used as medical shelters (see plate 1); and its proximity to other centers of power like Bessastadir and Videy, where the country's supreme officials resided. Located at one of the highest points of the peninsula with an almost 180° visibility out to the sea, Nesstofa must have commanded the landscape in an almost authoritarian manner.

When Bjarni Pálsson died at Nesstofa in 1779, a number of directors succeeded the position already established and practiced the profession at the same location, until the time of Jón Thorstenssen when by royal decree the 13 March 1833, the office of the director of health and that of the pharmacist were moved to Reykjavik. After the transfer of the office occurred, Nesstofa started being occupied by various local families who practiced farming up to recent times, and the building was eventually separated into two different houses. According to local sources, the land around the building and the house itself were passed on, on a hereditary basis.¹



Plate 1: W View of Nesstofa

The National Museum of Iceland received possession of Nesstofa in the years 1976-79 and was partly restored in its original form in the mid-1980s. Nowadays, Nesstofa houses the Medical and Health Care Museum, a specialized museum under the administration of the National Museum concentrating on the collection and preservation

¹ Information concerning the recent history of Nesstofa was provided by a number of local people, including the last resident of the house, who visited the site during the excavation period.

of artefacts, tools, instruments, pictures and drawings associated with Iceland's medical history, with an emphasis on the 19th and the beginning of the 20th centuries. Early this year, necessary funding was drawn for further renovation of the building and its interior and associated archaeological investigation.

Aims and Methodology

The archaeological investigation at Nesstofa by the National Museum of Iceland was part of an extensive project involving the renovation of the Nesstofa Museum and its surrounding architectural features. Consequently, the primary aim of the investigation was the exposure of a contemporary to the building pavement, as identified from historical sources, and its digital mapping. Since plans incorporate the reconstruction and partly the rebuilding of the above mentioned pavement, the recognition of the extent, state of preservation, and architectural character of the pavement were of vital importance as these factors would largely determine the planning, presentation and cost of this part of the project. Secondary to the pavement, came other archaeological features and deposits within the excavation extend. These were treated according to the necessary archaeological requirements.

Preparatory work prior to stripping involved the setting of three fixed station points (TBM) at the NW, SW and SE of the site for the purposes of surveying the area and recording all archaeological occurrences. The values of these points were acquired shortly after from Tæknideild Seltjarnarnesbæjar and were as follows:

RVK hnitakerfið

ISN 93

nr	X-hnit	Y-hnit	haeð	X-hnit	Y-hnit	
Ror 1	-25951.516	19280.504	14.415	409608.374	353725.033	Norðan Nes.
Ror 2	-25974.017	19251.619	13.630	409580.866	353700.871	Vestan Nes.
Ror 3	-25903.015	19245.047	13.039	409570.140	353771.355	Við girðingu

The fact that three fixed points were required was due to the fact that the area under investigation was located around the Nesstofa Museum, and thus visibility of at least two

fixed points at all times in all the areas around the building was necessary for the purposes of recording with the total station.

Excavation began in the area using a mechanical excavator with a toothless bucket in order to remove the topsoil and what appeared to be a modern concrete rubble fill. The site was divided into four quadrants at NW, NE, SW, and SE respectively. Such action resulted in the maintenance of four longitudinal sections that would have enabled us to establish any possible interrelations between archaeological deposits located in areas that are not physically connected to each other due to the Nesstofa building. However, since excavation did not occur at a great extent due to time limitations set to the project, the baulks were not archaeologically utilized. Instead, these were used entirely for practical reasons such as locating contexts and finds according to a fixed divided area.

Topsoil stripping initiated at the S side of Nesstofa and was conducted with a 2-3 weeks interval in all other parts around the building, with the N end being the last area to be stripped. In such a way, considerable time was provided in order to archaeologically tackle each area individually. A few centimeters of topsoil was left in situ in areas adjacent to the building and where a contemporary to the building pavement was located with the intention of avoiding any damage. Thereafter, exposure of the pavement proceeded by hand. The main concerns in each area were to meticulously clean the pavement and other deposits, plan, record and retrieve all finds. As mentioned above, actual excavation did not occur at a large extent due to time limitations. However, a number of trenches were dug either by hand or by the mechanical excavator. The latter trenches, two in total, had the width of the machine's bucket and were opened in areas where deposits appeared to be modern. The rest of the trenches, five in total, were opened within the limits of the pavement and at locations where this appeared to have been disturbed by modern intrusions. Sampling was conducted in a very selective manner, involving deposits in areas that appeared to contain material for either environmental analysis or dating.

The Nesstofa Project utilised an advanced digital computer programme, Intrasis, to register all information gathered during the investigation. Such digital recording had numerous advantages that enabled us not only to conduct a more precise recording and

efficient mapping, but also to have an increased and simplified access to the data, a greater opportunity in data processing and a quicker construction of the research report at a post-excavation level. Intrasis is being used for a wider range of tasks than simply for artefact and structure registry as it translates information collected by the total station, creating a recording apparatus which records the exact coordinates (using Isnet 93) of structures and layers etc, and modifies them into usable computer data needed for research. Other raw information material, such as photographs are later connected with the registry of their respective layer/wall/structure/artefact. The programme is a research tool in and off itself making possible the recreation of the research area, or parts of it which are to be researched individually.

Overall, Intrasis was utilized within all areas of the project: artefacts, archaeological contexts, structures, drawings, photographs, and landscape descriptions. Consequently, paperwork was limited as numbering was automatically applied to the various types of data. At later stages Intrasis was used in conjunction with other programmes, such as ArcView, Access and Excel, which are employed for various archaeological analyses.

Some other aspects of the recording system remained the same as on any other archaeological site. Consequently, photo registers, a sample register and finds registers were all maintained. Since the specific project did not involve a large number of staff, or a great number of archaeological deposits and other occurrences, all information including descriptions, manual measurements and interpretations were kept in organized notebooks instead of context sheets. Basic processing of finds, such as bagging and labeling, was conducted on site. All finds were catalogued in the relevant register and checked against the digitized archive created on site with the total station.

Acknowledgements

The project was made possible with the contribution of a number of individuals.

Ragnheiður Traustadóttir of the Holar Project kindly offered the total station and database that made the planning of the somewhat 1500 stones of the pavement a much faster and efficient process. Sigrid Cecilie Juel Hansen processed and catalogued all finds into the database. Auður Blöndal translated standard texts concerning the use of the total station, Trimble 3600 and its associated database, Intrasis. Guðmundur Ólafsson of the National Museum, who held the excavation license, managed the project as successfully as this could be and in its full extent. Workers of the Seltjarnarnes Town Council provided the tools, and made the setting up of an office in Nesstofa possible. They also provided assistance in cleaning part of the pavement's stones. Great thanks go to Hreinn for machining off the topsoil very patiently and cleanly. Final thanks to Tæknideild Seltjarnarnesbæjar.

2. Research at Nesstofa

Given the short-term, rescue character of the project, work focused on exposing and recording the pavement. However, topsoil removal revealed a number of archaeological deposits. As a result, a fairly heavy archaeological activity was noted at the S part of the excavation area, where a rectangular structure was identified along with two midden deposits. An extensive deposit, most possibly of agricultural character was recognised, while modern intrusions were located generally at the N and W parts of the site. In short, an overall of 13 deposits were identified and recorded. A more detailed account on the results of the investigation follows below.

Structure and Associated Deposits

Quadrants 1 and 2 at the S part of the excavation area produced the most archaeological interest. This was the only area where no modern disturbance appeared to have occurred



Plate 2: Rectangular Structure

and a number of associated deposits were identified. More specifically, stone inclusions within a reddish brown deposit [282]=[328] appeared to be forming a structure consisted of two walls NW-SE oriented, in quadrant 1. The structure appeared to be enclosing a rather small space (3x3m) and could have been either an outhouse or part of a larger structure. To

prove the latter however, more investigation would be necessary. Finds were retrieved at a much larger volume than in any other deposit in the immediate area reinforcing the hypothesis that [282]=[328] was an occupation deposit.

Associated with [282]=[328] was a brownish orange midden deposit [229]=[253]. This was one of the most extensive deposits in the excavated area. The presence of animal bone along with a whetstone may be indicative of an agricultural aspect of the immediate area.

Situated outside the confines of the above proposed structure at the NW, this deposit is most possibly closely associated with it. A test trench opened within [229]=[253] indicated that the deposit exceeds 0.80 m in depth, and therefore spans much further back in time than the building of Nesstofa.



Plate 3: Midden [229]

[359] was a very similar deposit to occupational layer [282]=[328]. However, the high concentration of sea-shells

and the fact that this appeared to be situated outside the confinements of the proposed structure consisted of two above mentioned walls within [282]=[328], suggested its different depositional character. Nevertheless, it is most likely that [359] is closely

associated with the structure. Its overall character suggests that [359] is most possibly a midden deposit abutting a possible NW wall of the structure. This specific area could have been used for processing sea-shells for the purposes of fishing. Nonetheless, at the time of sample collecting, some stone inclusions quite well sorted became visible. Such an occurrence could strongly dispute the above interpretation. However, investigation did not proceed further.



Plate 4: Midden [359]

The above group of deposits appear to be strongly associated. It is very likely that the occurrence of a possible building within [282]=[328], could have been an outhouse used at the time when Nesstofa was operating as a medical shelter. The fact that a number of older turf structures belonging to the farm were renovated at the time to accommodate the increasing needs of the medical centre could provide an adequate explanation. Reinforcing the above hypothesis is also the fact that midden deposit [229]=[253] which appears to be closely linked with the structure, also appears to be pre-

1763 chronologically, the date which Nesstofa was built, possibly spanning a period of more than 100 years.

Very possibly associated with the above unit of archaeological deposits is [376]=[16793]. This was the most widespread deposit in the excavation area that actually extended in quadrants 1, 2 and 3. This was the surface upon which pavement [900] was laid upon and thus pre-dates it. [376]=[16793] was the same material as [533]=[510]=[17125]. However, due to practical reasons involving the recording process, different numbers were assigned to the same deposit according to its location around the building. It is well known that prior to the placement of the pavement [900] in the 18th century, the area immediate to the building has been used for widespread agricultural purposes, while various sources also propose the existence of gardens



Plate 5: Deposit

contemporary with Nesstofa. The presence of sea-shells may
533

encourage the hypothesis involving the agricultural character of the deposit since sea-shells have not only been used as bait for fishing, but also as a fertiliser. A number of finds including whet stones may act as a further indication. It is worth noting here that [376]=[16793] was truncated by modern intrusions [15640] in Quadrant 1, and by [16853] (sewage pipe, electricity cable) in Quadrant 4. [533]=[510]=[17125] was truncated by modern intrusion [5438] (pipe) in Quadrant 2, and by [7305] (pipe, electricity cable) in Quadrant 3.

Pavement

Contemporary to the Nesstofa building is a pavement. This was comprised of small (>0.15m), medium (0.15-0.30m), and large (0.30-0.80m) angular, sub-angular, rounded, sub-rounded and rectangular stones. All stones placed at the edges of the pavement appear to have been selected carefully and worked into a generally square shape (specially noted on the outside of the stones), while the stones on the inside of the pavement seem to have been randomly chosen, yet carefully placed to form a generally

smooth, even surface. The dimensions of the pavement are as follows: In length, this is 18.06m (NE-SW) at the S end of the building, 20.26m (NW-SE) at the W part, and 23.29m (NW-SE) at the E part, while at the N end of the building the pavement does not survive. The width varies. Measurements were taken from the walls of the building and out to the edge of the pavement. As such, this is approximately 2.40m (NW-SE) at the S end, 3.70 at the W, and 3.10m at the E part of the house. The type of stone used for the construction of the pavement was basalt.

Generally speaking, the inside of the pavement in quadrants 2 and 3 was in good condition. Some truncation by modern intrusions, [5438] (Pipe) in quadrant 2, [7305] (Electricity Cable, Pipe) in quadrant 3 occurred, and appear to have disturbed the S part of the pavement adjacent to the building in quadrant 3, and the W corner in Quadrant 2. The inside of the pavement in quadrants 1 and 4 rarely survives. Its good condition at the N corner in quadrant 1 does not correspond with the rest of the quadrant. Five test trenches opened during excavation (1.50x1.30m) have proven that the pavement had been removed at a later period. Modern intrusion [15640] was identified at the W of the excavation area, however, it is not clear whether this was the reason for the pavement's removal/disturbance.



Plate 6: Pavement in Q.1

Plate 7: Pavement in Q. 1



Modern intrusion [16853] (Sewage Pipe, Electricity Cable) in Quadrant 4 had disturbed the inside pavement at a great extent. This appears to have been removed completely during construction

associated with the building.

This was also possibly truncated by [16989] and [16934] that appear to belong to a later phase of occupation. Part of the pavement's outline in quadrant 4 survives and has been recorded, while another paved area of appr. 5m in length (NW-SE) was identified on the outside and adjacent to the pavement's outline. Due to time limitations this occurrence was not investigated further. However, this paved area appears to be in line with a pathway (water-way road) NW-SE oriented that leads into the immediate to the house area.



Plate 8: Paved Area in Q. 4

At the N part of Quadrant 4, the pavement had been removed entirely due to modern construction [16853] (Sewage Pipe, Electricity Cable). Upcast material from these works in the face of [17710] at the NW and [17743] at the SE is evident.



Plate 9 & 10: View of Quadrant 4 at NE & NW

While the outline of the pavement in quadrants 2 and 3 was located straight underneath modern deposit [400]=[458], the inside of it was contained within deposit [533]=[17125]=[510] at approximately 0.20-0.30m in depth. This occurrence did not appear at the SW of quadrant 1, where the inside of the pavement was at the same level as the outline and stratigraphically underneath [400]=[458]. The suggestion that two different pavements elapsing in time could be present cannot be sustained with the evidence provided in the field.



Plate 11: Pavement in Q. 2

Instead this event has a two-fold explanation.

At first, it has been evident that two or more layers of stone were used for the construction of the pavement. To this, there is always the possibility that one of the stone layers had been removed at a later stage and the stones were used for different purposes. A more plausible explanation however, would note that the above occurrence is the result of stone sinking. Various sources stated that gravel was thrown in the specific location in the early 1900's in order to create an even surface. Such action was taken so that cars at the time could approach Nesstofa. A combination of the two above interpretations is also very likely.

A fairly different peculiarity occurs in quadrant 2 and 3, where a gap of 0.75-1.05m is noticed between the outline and the inside, core pavement. Taking into account the possibility of sinking material, the specific location was excavated meticulously and in depth of approximately 0.40m in order to locate the pavement. Some stone inclusions were notified, yet these appeared to belong to an earlier occupation phase, and were not investigated further. Interpretations concerning the above vary. As such, it was first considered that the gap represented an effort in expanding the pavement towards the E. Encouraging this scenario was the fact that at the location where the core of the pavement was standing, it appeared to be forming a straight line NW-SE oriented, and thus a possible earlier edge. This was noticed in both quadrants. However, the complete absence

of the core pavement in the corresponding area on other side of the building at the W, prevented the generalisation of this interpretation. Following a similar pattern of thinking as above, a later interpretation involved the deliberate removal of stones and their possible re-use.



Plate 12 & 13: Pavement in Q. 2 & Q. 3

Lastly, two rows of large (>0.50m) sub-angular stones, NE-SW oriented and nearly parallel to each other are located in quadrants 2 and 3 respectively. (Fig:). It has been stated that these might be forming the enclosure of an earlier farm. However, the overall character of the stones, type and size, and the fact that they both come off from the edge of the pavement reveal that they are not only contemporary, but also possibly an integral part of the structure. As discussed above, these two rows might be representing an extension of the pavement to the E, or the remains of a structure closely associated with Nesstofa.



Plate 14 & 15: Stone Rows at Q. 2 & Q. 3

Modern Deposits

A number of modern deposits were also recognised. These were the result of modern construction work associated with Nesstofa and disturbed archaeological features and deposits at various locations and in different degrees. More specifically, construction in quadrant 4 has succeeded in removing all archaeological occurrences. In quadrants 2 and 3, disturbance was noted, however this was localised. What follows is a more detailed account of these occurrences.

A pit filled with fine gravel [5438] located in quadrant 2, truncated deposit [533] and disturbed the pavement [900] in its NW-SE axis. A hot water pipe became visible at appr. 0.20 m within [5438].

[7305] in quadrant 3 truncated deposit [17125] and disturbed the pavement [900] at both its NE-SW and NW-SE axis. Some stone inclusions were most likely the remains of pavement [900]. Modern maps have confirmed that a hot water pipe NE-SW oriented and an electricity cable NW-SE oriented were placed in the specific area around 20 years ago. [7305] is contemporary to modern intrusion [16853], both being part of a wider fairly recent construction work adjacent and in connection to the Nesstofa building. [16853] truncated deposits [16793], [16989], [16934] and the pavement [900] in quadrant

4, where only the outline of the pavement survives at the SW, while at the NW this appears to have been removed completely. Modern maps have confirmed yet again that a sewage pipe in Quadrant 3, NW-SE oriented was constructed recently. Also associated with the above construction is deposit [17710]=[17743] located in quadrant 4. This was the spoil/waste material that resulted from the works. It appeared that the spoil was dumped at both the NW of [16853] in the form of [17710], while some waste material is evident at the SE of [16853] in the form of [17743].

[15640] was also a modern deposit, result of recent construction work. The above interpretation was verified by various sources that took active part in these works. Nonetheless, a test trench was opened by a mechanical excavator within the deposit in order to establish its character. This loose reddish brown silty sand appeared to be fairly mixed, while its depth exceeded the 0.50m mark. Below, an early brownish orange midden deposit, very similar to [229]=[253], was identified. However, what was laid beneath was not given any further consideration due to time limitations set to the project. Overall, [15640] is believed to have been spoil/waste material that resulted from modern activity on site.

Lastly, a weakly cemented gravel deposit [400]=[458] was located in quadrants 1 and 2. Situated solely at the S part of the excavation covering the pavement, this was most possibly the remains of construction material. It has been suggested by various sources that gravel was laid out on top of the pavement [900] during the early 1900s in order to even out the surface around the building. One certain source, does retain information about the event stating that a van during the early 1900's used to drive on this S part of the building in order to collect the milk produced by the local farmer. Moreover, a rather small oxidised area [577] situated at the NE corner of the southern side of the pavement is most likely associated with deposit [400]=[458], due to its proximity and level. Nonetheless, a charcoal rich sample (6595) was extracted, for C14 dating.

Other Deposits

Two more deposits were identified at the NW corner of Nesstofa in quadrant 4.

[16934] was a mixed friable orange turf deposit, adjacent to the building. Due to truncation by modern intrusion [16853] (sewage pipe) at the NW, the deposit did not



Plate 16: Deposit [16934]

appear to be defining any particular structure and it is possible that this was a midden deposit instead. The fact that the pavement [900] is not existent within or above the deposit may raise the hypothesis that [16934] post-dates the pavement. This in turn could indicate that [16934] might have truncated [900] and

is of modern origins. Therefore, [16934] would belong to a later phase of Nesstofa's habitation.

Very possibly associated with [16934] was a reddish brown, midden deposit [16989]. Located W of [16934], this was also truncated by modern intrusion [16853] (sewage pipe) at its NW. Very similar to midden deposit [359] in quadrant 1, [16934] had frequent inclusions of sea-shell that could have been dumped at the specific location after extracting the bait. Finds retrieved from both deposits indicate that they belong to a post-1763 phase, the date when Nesstofa was built.



Plate 17: Midden [16989]

Landscape Features

Two landscape features were identified in the immediate to the excavation area. Located at the SW side of the building was a road [2994], NE-SW oriented. Its dimensions were, 167.17m (NW-SE) in length, and approximately 2.50m (NE-SW) in width. It has been stated that this road was used for fetching water. The interesting aspect of this feature is that it appears to be in line with a paved area situated outside yet adjacent to the

pavement's edge, in quadrant 4 at the NW of Nesstofa. Investigation with the opening of a new area in order to fully expose the paved area to either verify or disprove any relations with the road [2994] is required. The second feature [6569] was located at the SE of Nesstofa. This has been a rectangular structure, 33.13m (NW-SE) in length, 19.40m (NE-SW) in width. It was truncated in its long axis (NW-SE) by a later stone wall. Both features were planned, yet further investigation is required in order to place these in a chronological framework and into a wider landscape context.



Plate 18: Building Remains at the SE



Plate 19: Old 'Waterway' Road

3. Finds

The amount of finds recovered from the archaeological investigation at Nesstofa was substantial – with 698 pieces of iron objects, mainly nails, glass, pottery and animal bone being the most common categories. Full analysis has not been conducted yet. This will possibly take place in the near future. In this section, only a very brief, rough assessment is conducted. The brackets contain find numbers as these occur in the relevant catalogue.

Ceramic

A total of 91 pieces of various types of pottery were retrieved. A rapid assessment involved the basic sorting and quantification by type. This did not include any type of analysis on forms, decoration or other attributes. The majority of ceramic finds was comprised of industrial refined earthenwares, predominantly whitewares (41 pieces), a large proportion of which was decorated. The remaining types included industrial refined porcelain, but also some pieces of redware and stoneware. The source of this material was not investigated, however, as most pottery fragments did not bear any makers marks. A rough estimate would indicate that the stoneware was most possibly imported from Germany, while the various types of coarse glazed earthenware could have their origins in Denmark, England and possibly Holland as these were the major exporters of the 18th to the early 20th centuries. The investigation of import patterns is not the scope of this report, yet it is of great interest to mention that vessel repair and re-use, and possibly less importation of new material in the 18th-19th centuries was a common attribute.

Ceramic building material was also identified. This involved brick fragments (11 pieces), with the recovery of one complete brick (20448), green in colour from the occupation deposit [282], and a roof slate (20841). Finally, the stems of two clay pipes were recovered (20461, 20155). These do not bear any distinguishable marks that would suggest either their origin and maker or their date.




Table 1: Summary of finds quantities

Glass

Glass was the second biggest category of finds. This includes 153 pieces. Sorting and quantifying by categories such as colour and decoration was not conducted. The only quantification that was performed was the separation of easily recognised pieces of glass belonging to bottles (29 pieces). Within this category a small number of vessels containing alcoholic drink, beer and wine, was identified instantly. More specifically, the

bottom of a wine bottle (20345) and the bottom of two green-glass bottles of Danish beer one of which bears the inscription **ØL** (20312, 20313) were recognised. The latter two items were common in the 19th and early 20th centuries, as beer was stored in different ways (e.g. wooden barrels and casks), prior to this date. However, the above observation does not reflect any consumption patterns. As far as the wine bottle is concerned, it is not clear whether it was used as a storage vessel or as a decanter, as it was also common practice to store wine in casks, and wine storage in bottles developed towards the end of the 18th century.

Other identifiable objects include an almost complete round green-glass vessel (20365) bearing the inscription "**Buchs Fabrikker, Kbhvn. B.**" (Transl: Buchs Factory, København) Even though this is a fairly big vessel, it has been suggested that it must have contained perfume. Similar to the above was find (20356) that consisted of a bottle neck associated with a round glass tap bearing the initials **I.B.** Pharmaceutical bottles were not recognised. However, the necks of two miniature bottles (20343 & 20371) appear to have been part of small phials, possibly cylindrical in shape, and could have been used for the storage of medicine. It is worth noting that such vessels were mostly moulded in the late 19th and 20th century, while free-blown examples appear prior to these dates. Lastly, an almost complete wine glass (20297) consisted of its bottom, neck and a small part of its upper body survived. This should date well into the 20th century.

Finally, three unidentifiable glass fragments were brought to our attention. (20314) bears the inscription: ...acturer... (possibly Manufacturer), (20317) a brown-glass fragment that contains the picture of a lion with its front legs resting on a seal of a naval anchor and (20395) a thin transparent glass fragment containing carved star decorations. Given the considerable amount of information drawn upon these few pieces, it is important to say that further analysis and quantification according to type, decoration and forming method of the remainder fragments is necessary.

Metal

The largest quantity of finds was consisted of metal objects. Iron was the predominant

material in this category, while some copper nails, metalworking debris, and part of a lead and a bronze chain occurred.

Iron

The greater part of the iron objects retrieved consisted of structural ironwork. Among these, nails (238 pieces), was the prevalent find category. Their individual recovery during excavation proved to be an impossible task and as a result they were bagged in groups according to location. At a later stage a different number was assigned to each find. The dimensions of the nails varied greatly, however, it was not possible to assess and quantify these according to shape, dimensions, possibly shape and finally to any particular type of use. It is interesting to note that the abundance of nails at the S part of the excavation may have to do with the possible presence of a number of turf outhouses that were renovated at the time when Nesstofa was built, and used as medical shelters.

A number of unidentifiable pieces of tools and implements (68 pieces) also occurred, however further analysis on recognising these did not take place. Horse equipment in the form of 3 horseshoes (20191, 20643, 20661) formed a small category, while two screws and a bolt formed another. For the latter two, it is worth saying that the screws and bolts appear to be modern, and dated well into the 20th century. 3 fairly large hooks (20652, 20653, 20654) were also recovered from occupation [282] and agricultural deposits [533]. These are believed to have been used for hanging large meat joints, or small animals, while their possible use for fishing cannot be entirely excluded.

Copper

Copper alloy objects were present, though they only occurred occasionally. Among these objects were 5 copper nails; a rather peculiar occurrence considering the amount of iron nails present. Three coins were also recovered. One of these is a modern 5 eyrir Icelandic coin from 1946 (20667), while another two, a Danish 1 øre (20668) and a Danish 2 øre (20669) are dated from the time of Christian IX. On the latter coin the date is clearly

visible and is that of 1827. One copper alloy button (20837) was also encountered. It is worth noting that copper was used for dandies' buttons in the 18th century, and our example could be dated at the same period. Lastly, 3 unidentified fragments of copper objects were also retrieved.

Metalworking Debris

A very small quantity of metalworking debris was recovered in the form of slag. The 6 pieces were not localised in one specific area but were spread within different deposits. However, it is worth noting that 5 of the pieces came from the associated deposits [229]=[253] and [282], while the other was entirely disconnected from the area. Even though the evidence is scarce, some consideration should be given to the possibility of metalworking in the area.

Other

Rarer metal types were also encountered and included parts of a 20th century modern lead chain, a bronze chain and a bronze round ornamental object (20660) bearing a decoration was recovered from the surface of [376].

Stone

A limited number of stone finds came out of the site. Made out of basalt cobbles, these include 4 whetstones (20160, 20458, 20459, 20460) that vary in size and were recovered in different locations and deposits, and an unfinished stone tool (20469), either a loom weight or part of a round fish hammer.

Bone

Bone, both complete or in fragments was a quite frequent occurrence. The rather small assemblage however, numbering to a total of 109 pieces, was treated in the record as a group of finds instead of samples. Any type of sorting or quantifying has not yet been conducted. A very rapid assessment though shows that the most common type of animal present in the area was *Bos Taurus* (commonly cow), with next in line *Ovis* (sheep). Some fish bone is also evident, yet scarce within the assemblage. As the immediate area to Nesstofa has always been a farm, even at the time when the building operated as a medical centre, the occurrence of bone is not at all peculiar. Certain sources have revealed that the area was part of an extensive farm at least until the late 1920's. Most bone appears to be food waste, without excluding the possibility that worked bone might exist in the assemblage. Further analysis concerning the further identification of species, of any butchering marks, and the quantification by amount and species is required for additional, detailed results.

Within the bone assemblage, an oval shaped bone button (20304) was identified. Generally speaking, it is worth noting that bone was the staple material used to make the utilitarian sew-through buttons for underwear. It was also used as a base for decorative work and in a carved form with a loop shank.² Usually made out of bone from the dense surface of the leg bone, buttons like the one retrieved were very resistant to salt water and chemicals. As this type of button was used up until the 1960's, it becomes rather difficult to set a date on our specimen.

Discussion

The above assemblage of finds is very characteristic and rather stereotypical of an 18th-20th century archaeological site in Iceland, both in the amount of finds retrieved and in the general types of artefacts. However, one peculiarity that became clearly evident during the rough assessment of the assemblage was the presence of a large amount of metal objects present, and especially nails, as they consist the 45% of the collection.

² Meredith, A. & Meredith, G., 2004.




Table 2: Percentages illustrating the materials retrieved on site

This is one fact that certain consideration should be given to. As mentioned above, the occurrence can be linked to the renovation process involving a number of older turf houses that took place in the 18th century. Nevertheless, this interpretation should be cross-checked and tested against any available historical data. Supporting the above observation, is the distribution of the finds as most are located in the occupation deposit [282]=[328] and its associated midden deposits [229]=[253] and [359]. Apart from the above, similar patterns emerge in pottery and glass types, stone and metal finds as on other archaeological sites, revealing a fairly general unified trend, both in the similarities and changes in the Icelandic material culture of the 18th-20th century.

Unquestionably, a more detailed examination is required of all the finds groups, as time limits only allowed the completion of a fairly simplistic assessment of the assemblage. Still, some insight concerning the nature of the material culture of the site and most importantly establishment in many ways, of what to expect in possible future archaeological research at Nesstofa was achieved.

4. Discussion and Recommendations: A Critical Approach

The part of the Nesstofa project that concerned archaeological investigation was very limited both in funding and time, and work was almost solely concentrated on the recording of the contemporary to the Nesstofa building pavement. As a result, only a limited archive was produced involving other archaeological occurrences. As this archive only took the form of planning all that was recognised on the surface, and the retrieval of finds that nonetheless appeared to be post-dating 1763, one can understand that without any background historical research in the library and the unavailability of stratigraphic sequences in the field, the interpretations concerning both the life of Nesstofa and its residents and prior to its construction will always lack substantial depth and insight.

Works on the renovation of the building and the pavement that might be exceeding its original 18th century dimensions, and therefore expand in areas where archaeological deposits are located, are imminent. It is worth noting here that prior to the archaeological investigation, plans on a new pavement that appeared to have no resemblance to that of the original pavement were completed and approved. Consequently, these plans will now have to change. However, before proceeding to any recommendations involving the strategies that have to be employed for the reconstruction, protection, and possibly the continuation of archaeological research at Nesstofa, it is necessary to view the project with a different perspective.

Nesstofa: A Social Perspective

Placing the Nesstofa project into a much wider context concerning archaeological investigation, it is worth noting that issues like miscommunication and misconduct between archaeologists and other governmental institutions, local authorities and private contractors are not new concerns in the discipline. They are long-standing, existent mainly in rescue programs of archaeological investigation, and evident throughout the European context. Within this framework, complexities are noticed from multi-million projects involving public works to small scale research, with local authorities and institutions viewing archaeological research as an obstacle. As far as the Nesstofa project

is concerned, complications involved largely the misinterpretation of regulations on issues of funding and time.

Applicable to most archaeological research, the above issues of miscommunication spring from the lack of certain educational capital of the discipline that could be directed towards the general public and those who co-operate with archaeologists in various projects. A mutual understanding with the use of a 'simple', yet informative and flexible language on issues concerning the methodologies applied, the theories behind practice, the objectives and reasons of any given project, along with the deconstruction of the 19th century stereotypes and metanarratives that have long constituted the discipline of archaeology in the eyes of the public as 'treasure hunting', could be the only way in which communication with the outside at an equal level can be achieved.

Turning back to the Nesstofa project, it is important to state that numerous recommendations have already been made for the renovation of the building and its surroundings that would regenerate the area. As it is becoming a new common practice to financially regenerate underdeveloped areas through the employment of local cultural heritage, it is nowadays evident that such an attitude also expands in developed areas and especially in city suburbs. Within this framework, the tendency of returning to the local roots and history is quite recent, and the general national and sociological connotations immense. Such a shift from the national to the local history, and in turn perhaps to a global one is viewed by many as an effort of generating new ways of engaging with the past, and therefore with the present. In other words, when history is rewritten in small local museums through the medium of archaeological reconstructions, narratives and modern technology by people influenced by modern socio-political constructs, identities are transformed, and societal relationships restructured at a much greater scale.

Taking into consideration the above, it is imperative to say that Nesstofa represents a fairly significant shift towards modernity in Icelandic history. Historically speaking this shift is noticed in the introduction of modern medical practice in the 18th century; socially it is observed in the living memory of local people who in a quite

intricate way associated with Nesstofa, were subjected to these changes.³ As an amalgamation of the two, the renovation and other historical and archaeological reconstruction of Nesstofa should not be taken lightly.

Recommendations

The archaeological investigation conducted at Nesstofa simply touched the surface of a very long and intricate history. Some planning and recommendations have already been made. Within this framework, an official website proposes:

‘A new museum building has been planned just north of the old house, where the mainstay of the museum’s belongings will be on display. This new building will be at the edge of the inhabited areas of Seltjarnarnes and the planned recreation area. It will be a multipurpose building to serve the needs of the visitors, who will be school children and others interested in the organic life of the area, hikers and runners, sailboard riders, skiers and skaters. The Cafeteria should be well appreciated by those who enjoy the outdoor activities and those who want to enjoy the view over the Faxi Bay and the activities outside. A part of the exhibition area will be dedicated to the geology, avifauna, flora, archaeology and the history of the area. There will be space for small meetings and conferences as well.’⁴

The incorporation of a multipurpose building is an attractive notion. However, to complement such a plan, it has to be noted that an assessment on the impact such a building would have in the landscape has to be performed before the initiation of any construction work. Such evaluation is two-fold as, apart from the environmental impact assessment report that would investigate any possible harm on plant and wildlife, an archaeological assessment would also have to be completed.

Ensuring the preservation of the cultural landscape is of enormous importance. As such, the ways in which a new building would operate within the wider landscape and in connection to Nesstofa have to be considered. Nesstofa carries an immense cultural

³ A number of people lived in Nesstofa from the time the medical centre was moved to Reykjavik in the 19th century up to the time the building was purchased by the National Museum in the late 1970’s.


⁴ www.nat.is/images/seltjarnarnes_medical_health_care.htm (7/06/05)

capital both in the locality and nationally. It commands the landscape in an almost authoritarian manner, as any other institution at the time of Nesstofa's construction and after. Today, the building's cultural capital still exists and has an effect. This is not to a great extent as a museum institution, but as a landmark of personal and collective living memory. As such, a modern building that would serve the needs of a growing cultural heritage industry should not overshadow Nesstofa, as this was deliberately erected in the specific location for the purpose of being seen and recognised.

Prior to any construction work, a survey would be necessary to locate any possible archaeological remains, while archaeological monitoring would be imperative during the first phase of building the new venue. As far as the pavement is concerned, certain suggestions have been made for its conservation and reconstruction. At first, this should follow the same dimensions as the 18th century pavement. Considerable repair and rebuild for its modern-day use should be undertaken as its surface at present, though in good condition archaeologically, is uneven and stones protrude in places. In this case, specialised assistance on reconstructive architecture should be sought. Some considerations should include the use of the same raw materials, and especially the type of stones, used for the original pavement. Since the shape of most stones, apart from the ones that mark the edge, seem not to have been worked and randomly chosen, yet carefully placed, a similar strategy should be followed. Alternative solutions could involve the placement of all weather glass on the pavement within which lights can be set. Such an action would mean that reconstruction and partial repair, and therefore a time consuming effort would be avoided.

The issue of older, yet renovated turf outhouses that accompanied Nesstofa in the 18th century should also be brought to the surface. Archaeological results, discussed above suggest the presence of one such structure. A fairly accurate reconstruction could therefore be integrated to the project. In this case, historical and archaeological research that would most possibly involve further excavation would be necessary if any of the turf outhouses are to be erected in the near future. An archaeological excavation programme should therefore be devised and could take the form of either a rescue or a research excavation. In any event, this should have exact research objectives. As mentioned above, the archaeological investigation conducted in the months of March and April has just

touched the surface of an archaeologically rich and complex area, and thus a rescue or research excavation programme should not expand rapidly.



*Mynd af Nesstofu eftir
Aage Nielsen Edwin og er
hún í bók Vilmundar Jóns-
sonar, Lækningar og saga.
Tú ritgerðir, 1. bindi,
Reykjavík 1969, bls. 208.*

Plate 20: Reconstruction drawing of Nesstofa with the outhouses

Sociological research should also be considered vital. This can be a two-fold process in the form of interviews and questionnaires. Within this framework, three groups of people should be targeted. The first would include interviews with the last occupants of Nesstofa, immediately before the purchase of the house by the National Museum. Essential information like descriptions, ways the house operated, decoration, and other perhaps folklore stories should be recorded and placed into an archive. Photos of the building's interior, exterior and of the immediate landscape that are not already in the possession of the National Museum can also be traced during the interview process.

The second group would involve interviews with those who, although they have not resided in Nesstofa have certain memories and stories about the building and the surrounding area. Data on recent landscape management and overall alterations would be captured on a more detailed contextual form. Finally, the last group will be comprised of untargeted public. This should take only the form of a questionnaire. Importance should be given to recommendations people might have to offer, while simple questions such as, 'What does Nesstofa represent to you?' will most possibly have a two-way impact on the project. At first, the significance of the monument and its impact on the public will be

disclosed, while a feeling of active involvement will be raised. Along these lines, an analysis of the results could be tested against the personal background of the individuals. In this case, the questionnaire will be anonymous.

All data gathered, along with ongoing archaeological research should be housed in the new proposed building for the interest of local historians, archaeologists and the general public. An exhibition should concentrate not only on medical history, but also on folklore, recent history and archaeology with the incorporation of photos, folklore stories and artefacts retrieved from the excavation.

Archaeologically speaking, the target of the Nesstofa project should be the creation of a complete archive that would enable the construction of a continuous narrative spanning chronologically from the pre-18th century era and up to recent times. This narrative, though continuous, should reflect the diversity of populations and individuals that passed through Seltjarnarnes. To do that, the recovery of raw materials through the medium of archaeological investigation is essential. Generally speaking, the overall theoretical target of the project should be the partial de-institutionalisation of Nesstofa that up to this day employs a sterile, impersonal and ageing positivist strategy for the representation of the local and partly national Icelandic past.

5. Appendices

Contexts

Context	Type	Area	Description	Length	Width	Depth
229	Midden Deposit	Q. 1	Description: A loose mid brown-orange peat ash deposit, NE-SW oriented. Located at the SE of 282. Finds recovered included unidentified iron objects, nails, pottery, glass, moderate animal bone (possibly of sheep & cow) poorly sorted, a piece of clay pipe, brick fragments and a whetstone. Some remains of topsoil within the deposit suggest that the specific area might have been disturbed at recent times.	6.02m (NE-SW)	2.40m (NW-SE)	N/A
253	Midden Deposit	Q. 2	Description: Same as deposit 229 at the SE of 328.	7.37m (NE-SW)	2.70m (NW-SE)	N/A
282	Occupation Deposit	Q. 1	Description: A friable dark red-brown turf deposit, NE-SW oriented. Located at the NW of 229. Inclusions consisted of moderate medium (>0.50m) and large (<0.50m) sub-angular and sub-rounded stones moderately sorted. Additional inclusions consisted of occasional sea-shells poorly sorted. An array of finds recovered included iron and copper nails, pottery (mostly of modern origins) and different types of glass.	7.42m (NE-SW)	3.60m (NW-SE)	N/A
328	Occupation Deposit	Q. 2	Description: Same as deposit 282 located at the SE of 458.	4.91m (NE-SW)	2.03m (NW-SE)	N/A
359	Midden Deposit	Q. 1	Description: A friable light red-brown turf deposit, NE-SW oriented. Located at the SE of 400. Inclusions consisted of frequent sea-shells well sorted. Occasional finds were retrieved including nails, glass and pottery.	2.78m (NE-SW)	1.13m (NW-SE)	N/A

376	Agricultural Deposit	Q. 1	Description: A linear, moderately compacted dark brown-red silty sand, NW-SE oriented. Inclusions consist of moderate small (>0.10m) and medium (<0.20) angular, sub-angular and sub-rounded stones poorly sorted and moderate sea-shell. Located in Quadrant 1 & Quadrant 4 in the form of 16793, and NW of 400 and 282 in Quadrant 1, and NW of 16853 in Quadrant 4.	14.05m from baulk to baulk (NW-SE)	5.78m from baulk to building (NE-SW)	N/A
400	Modern Deposit	Q. 1	Description: A weakly cemented mid black-grey gravel deposit, NE-SW oriented. Located around and adjacent to the Nesstofa building.	5.81m (NE-SW)	4.70m (NW-SE)	N/A
458	Modern Deposit	Q. 2	Description: Same as deposit 400 located at the NW of 328.	7.01m (NW-SE)	3.65m (NE-SW)	N/A
510	Agricultural Deposit	Q. 2	Description: Same as deposit 533 located at the NW corner of quadrant 2 and NW of gravel deposit 400=458.	4.26m (NE-SW)	1.41m (NW-SE)	N/A
533	Agricultural Deposit	Q. 2	Description: A linear, moderately compacted dark brown-red silty sand, NW-SE oriented. Inclusions consist of moderate small (>0.10m) and medium (<0.20) angular, sub-angular and sub-rounded stones poorly sorted and moderate sea-shell. Located in Quadrant 2 & Quadrant 3 in the form of 17125, and NE of 458 and 253 in Quadrant 2, and NW of 17125 in Quadrant 3.	14.30m from baulk to baulk (NW-SE)	7.56m from baulk to building (NE-SW)	N/A
577	Oxidised Deposit	Q. 2	Description: A sub-circular moderately compacted dark black-grey silty-sand deposit, NE-SW oriented. Located at the NE of 458 in quadrant 2. Inclusions consist of frequent charcoal flecks.	1.92m (NE-SW)	0.78m (NW-SE)	N/A

900	Pavement	---	Description: Pavement contemporary with Nesstofa building. Comprised of small (>0.15m), medium (0.15-0.30m), and large (0.30-0.80) angular, sub-angular, rounded, sub-rounded and rectangular stones, well sorted. All stones placed at the edges of the pavement appear to have been worked into a generally square shape (specially noted on the outside of the stones), while the stones on the inside of the pavement do not seem to bear the same occurrence.	23.29m (NW-SE) at E side of building 20.26m (NW-SE) at W side of building	18.06m (NE-SW) at S end of building	N/A
5438	Modern Intrusion	Q. 2	Description: A sub-circular, loose dark grey-black sand, NW-SE oriented. Located at the NW part of Quadrant 2 and within deposit 533.	1.91m (NW-SE)	1.25m (NE-SW)	N/A
7305	Modern Intrusion	Q. 3	Description: A linear, moderately compacted mid grey-brown silty sand, NE-SW oriented. Located at the W and S part of Quadrant 3 and SW and SE of 17125. Inclusions consist of moderate small (>0.20m) and medium (0.20-0.40m) angular, sub-angular and sub-rounded stones poorly sorted.	Pipe: 3.70m, to extent of exc. (NE-SW) Cable: 5.30m (NW-SE)	Pipe: 1.05m (NW-SE) Cable: 2.35 to building (NE-SW)	N/A
15640	Modern Intrusion	Q. 1	Description: A linear, moderately compacted dark brown silty sand, NW-SE oriented. Inclusions consists of occasional small and medium angular and sub-angular stones poorly sorted. Located at the NW of deposit 376.	9.68m to baulk (NW-SE)	3.36m to baulk (NE-SW)	N/A
16793	Agricultural Deposit	Q. 4	Description: Same as deposit 376, located at the NW of 16853.	9.95m (NW-SE)	2.50m to baulk (NE-SW)	N/A

16853	Modern Intrusion	Q. 3 & 4	Description: A linear, loose dark grey-black sand, NW-SE oriented in Quadrant 3, and NE-SW oriented in Quadrant 4. Located at the NE of 16793, SE of 17710 and is adjacent to the Nesstofa building.	Pipe: 12.05m (NW-SE) (Q. 3) Cable: 18.40m to baulk (NE-SW) (Q. 4)	Pipe: 2.10m (NE-SW) Cable: 2.25m (NW-SE)	N/A
16934	Occupation Deposit	Q. 4	Description: A sub-linear, friable orange-brown mixed turf deposit, NW-SE oriented. Inclusions consist of moderate small (>0.10) and medium (<0.10) sub-angular and sub-rounded stones poorly sorted and occasional sea-shells. Located at the SE of 16853.	3.71m (N-S)	0.92m (E-W)	N/A
16989	Midden Deposit	Q. 4	Description: A sub-linear, moderately compacted red-brown silty sand, N-S oriented. Inclusions consist of frequent sea-shells. Located at the W of 16934.	4.65m (NW-SE)	2.12m (NE-SW)	N/A
17125	Agricultural Deposit	Q. 3	Description: Same as deposit 533, located at the NE of 7305.	7.85m (NW-SE)	3.75m to baulk (NE-SW)	N/A
17710	Upcast Material/ Waste Deposit	Q. 4	Description: A linear, moderately compacted dark red-brown silty sand, NE-SW oriented. Inclusions consist of occasional small (>0.15m) angular and sub-angular stones poorly sorted, possibly the out of situ remains of pavement 900. Located at the NW of Quadrant 4 and SE of 16853.	20.50m from baulk to baulk (NE-SW)	2.70m to baulk (NW-SE)	N/A
17743	Upcast Material/ Waste Deposit	Q. 4	Description: Same as deposit 17710, located at the SE of 16853.	6.42m (NE-SW)	0.46m (NW-SE)	N/A

Finds

PJMS	No	Subclass	Context	Area	Material	Frag.	X	Y
2005-9	1	Iron Object	400	Quadrant 1	Iron	1	409577,360000	353717,630000
2005-9	2	Iron Object	253	Quadrant 2	Iron	7	409571,060000	353725,220000
2005-9	3	Iron Object	229	Quadrant 1	Iron	12	409570,370000	353718,420000
2005-9	4	Iron Object	400	Quadrant 1	Iron	2	409577,110000	353718,610000
2005-9	5	Iron Object	253	Quadrant 2	Iron	4	409570,660000	353723,100000
2005-9	6	Iron Object	253	Quadrant 2	Iron	1	409570,671500	353725,563500
2005-9	7	Iron Object	253	Quadrant 2	Iron	1	409571,300000	353725,790000
2005-9	8	Iron Object	253	Quadrant 2	Iron	1	409570,671500	353725,563500
2005-9	9	Slag	253	Quadrant 2	Iron	1	409570,671500	353725,563500
2005-9	10	Iron Object	253	Quadrant 2	Iron	1	409571,300000	353725,790000
2005-9	11	Iron Object	253	Quadrant 2	Iron	1	409571,300000	353725,790000
2005-9	12	Clay Pipe	229	Quadrant 1	Ceramic	1	---	---
2005-9	13	Slag	229	Quadrant 1	Iron	1	409571,074200	353717,899300
2005-9	14	Slag	229	Quadrant 1	Iron	1	409571,380000	353717,750000
2005-9	15	Brick	253	Quadrant 2	Ceramic	6	409571,380000	353724,060000
2005-9	16	Brick	229	Quadrant 1	Ceramic	4	409570,450000	353719,920000
2005-9	17	Whetstone	229	Quadrant 1	Stone	1	409570,820000	353720,340000
2005-9	18	Bone	400	Quadrant 1	Bone	1	409578,400000	353719,980000
2005-9	19	Bone	400	Quadrant 1	Bone	1	409578,400000	353719,980000
2005-9	20	Bone	253	Quadrant 2	Bone	1	409569,830000	353723,940000
2005-9	21	Bone	253	Quadrant 2	Bone	1	409570,671500	353725,563500
2005-9	22	Bone	253	Quadrant 2	Bone	1	409569,830000	353723,940000
2005-9	23	Bone	458	Quadrant 2	Bone	1	409574,890000	353728,020000
2005-9	24	Bone	229	Quadrant 1	Bone	1	409571,074200	353717,899300
2005-9	25	Bone	229	Quadrant 1	Bone	1	409571,390000	353720,140000
2005-9	26	Bone	253	Quadrant 2	Bone	1	409570,300000	353724,060000
2005-9	27	Bone	253	Quadrant 2	Bone	1	409570,300000	353724,060000
2005-9	28	Tooth	229	Quadrant 1	Bone	1	409569,880000	353720,510000
2005-9	29	Bone	229	Quadrant 1	Bone	1	409569,880000	353720,510000
2005-9	30	Bone	229	Quadrant 1	Bone	1	409569,880000	353720,510000
2005-9	31	Bone	229	Quadrant 1	Bone	1	409571,074200	353717,899300
2005-9	32	Bone	229	Quadrant 1	Bone	1	409569,880000	353720,510000
2005-9	33	Bone	229	Quadrant 1	Bone	1	409571,074200	353717,899300
2005-9	34	Bone	229	Quadrant 1	Bone	1	409571,940000	353720,530000
2005-9	35	Bone	229	Quadrant 1	Bone	1	409571,940000	353720,530000
2005-9	36	Bone	229	Quadrant 1	Bone	1	409571,940000	353720,530000
2005-9	37	Bone	229	Quadrant 1	Bone	1	409571,074200	353717,899300
2005-9	38	Bone	229	Quadrant 1	Bone	1	409571,940000	353720,530000
2005-9	39	Bone	229	Quadrant 1	Bone	1	409571,940000	353720,530000
2005-9	40	Bone	229	Quadrant 1	Bone	1	409571,940000	353720,530000
2005-9	41	Bone	229	Quadrant 1	Bone	1	409571,940000	353720,530000
2005-9	42	Nail	400	Quadrant 1	Copper	1	409575,200000	353720,450000
2005-9	43	Nail	400	Quadrant 1	Iron	1	409577,290000	353718,916600
2005-9	44	Nail	400	Quadrant 1	Iron	1	409575,200000	353720,450000
2005-9	45	Nail	253	Quadrant 2	Iron	1	409570,040000	353726,100000

2005-9	46	Nail	458	Quadrant 2	Iron	1	409574,900000	353728,220000
2005-9	47	Nail	458	Quadrant 2	Iron	1	409574,900000	353728,220000
2005-9	48	Nail	400	Quadrant 1	Iron	1	409576,050000	353720,540000
2005-9	49	Nail	400	Quadrant 1	Iron	1	409576,050000	353720,540000
2005-9	50	Nail	400	Quadrant 1	Iron	2	409576,050000	353720,540000
2005-9	51	Nail	400	Quadrant 1	Iron	1	409576,050000	353720,540000
2005-9	52	Nail	400	Quadrant 1	Iron	1	409576,050000	353720,540000
2005-9	53	Nail	400	Quadrant 1	Iron	1	409576,050000	353720,540000
2005-9	54	Nail	400	Quadrant 1	Iron	1	409576,530000	353719,630000
2005-9	55	Nail	400	Quadrant 1	Iron	1	409576,530000	353719,630000
2005-9	56	Nail	400	Quadrant 1	Iron	1	409576,530000	353719,630000
2005-9	57	Nail	400	Quadrant 1	Iron	1	409576,530000	353719,630000
2005-9	58	Nail	400	Quadrant 1	Iron	1	409576,530000	353719,630000
2005-9	59	Nail	400	Quadrant 1	Iron	1	409577,260000	353718,260000
2005-9	60	Nail	400	Quadrant 1	Iron	1	409577,260000	353718,260000
2005-9	61	Nail	400	Quadrant 1	Iron	1	409577,260000	353718,260000
2005-9	62	Nail	400	Quadrant 1	Iron	1	409577,260000	353718,260000
2005-9	63	Nail	400	Quadrant 1	Iron	1	409577,260000	353718,260000
2005-9	64	Nail	400	Quadrant 1	Iron	1	409577,260000	353718,260000
2005-9	65	Nail	400	Quadrant 1	Iron	1	409577,260000	353718,260000
2005-9	66	Nail	400	Quadrant 1	Iron	1	409576,660000	353720,580000
2005-9	67	Nail	400	Quadrant 1	Iron	1	409576,660000	353720,580000
2005-9	68	Nail	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	69	Nail	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	70	Nail	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	71	Nail	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	72	Nail	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	73	Nail	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	74	Nail	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	75	Nail	400	Quadrant 1	Iron	1	409575,570000	353719,320000
2005-9	76	Nail	400	Quadrant 1	Iron	1	409575,570000	353719,320000
2005-9	77	Nail	400	Quadrant 1	Iron	1	409575,570000	353719,320000
2005-9	78	Nail	229	Quadrant 1	Iron	1	409571,360000	353719,760000
2005-9	79	Nail	400	Quadrant 1	Iron	1	409575,120000	353720,920000
2005-9	80	Nail	400	Quadrant 1	Iron	1	409578,170000	353720,110000
2005-9	81	Nail	400	Quadrant 1	Iron	1	409578,170000	353720,110000
2005-9	82	Nail	359	Quadrant 1	Iron	1	409576,210000	353717,840000
2005-9	83	Nail	359	Quadrant 1	Iron	1	409576,210000	353717,840000
2005-9	84	Nail	359	Quadrant 1	Iron	1	409576,060600	353717,933800
2005-9	85	Nail	359	Quadrant 1	Iron	1	409576,060600	353717,933800
2005-9	86	Nail	359	Quadrant 1	Iron	1	409576,210000	353717,840000
200-9	87	Nail	328	Quadrant 2	Iron	1	409573,570000	353723,570000
2005-9	88	Nail	328	Quadrant 2	Iron	1	409573,570000	353723,570000
2005-9	89	Nail	328	Quadrant 2	Iron	1	409573,570000	353723,570000
2005-9	90	Nail	328	Quadrant 2	Iron	1	409573,570000	353723,570000
2005-9	91	Nail	328	Quadrant 2	Iron	1	409573,570000	353723,570000
2005-9	92	Nail	400	Quadrant 1	Iron	1	409575,270000	353721,500000
2005-9	93	Nail	400	Quadrant 1	Iron	1	409577,290000	353718,916600
2005-9	94	Nail	400	Quadrant 1	Iron	1	409576,450000	353716,110000

2005-9	95	Nail	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	96	Nail	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	97	Nail	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	98	Nail	400	Quadrant 1	Iron	1	409577,290000	353718,916600
2005-9	99	Nail	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	100	Nail	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	101	Nail	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	102	Nail	253	Quadrant 2	Iron	1	409571,310000	353723,410000
2005-9	103	Nail	253	Quadrant 2	Iron	1	409571,310000	353723,410000
2005-9	104	Nail	359	Quadrant 1	Iron	1	409576,010000	353718,550000
2005-9	105	Nail	359	Quadrant 1	Iron	1	409576,010000	353718,550000
2005-9	106	Nail	359	Quadrant 1	Iron	1	409576,010000	353718,550000
2005-9	107	Nail	359	Quadrant 1	Iron	1	409576,010000	353718,550000
2005-9	108	Nail	400	Quadrant 1	Iron	1	409577,850000	353721,320000
2005-9	109	Nail	400	Quadrant 1	Iron	1	409577,850000	353721,320000
2005-9	110	Nail	510	Quadrant 2	Iron	1	409577,850000	353724,390000
2005-9	111	Nail	253	Quadrant 2	Iron	1	409570,700000	353726,360000
2005-9	112	Nail	400	Quadrant 1	Iron	1	409570,700000	353726,360000
2005-9	113	Nail	253	Quadrant 2	Iron	1	409570,700000	353726,360000
2005-9	114	Nail	400	Quadrant 1	Iron	1	409578,480000	353721,040000
2005-9	115	Nail	400	Quadrant 1	Iron	1	409578,480000	353721,040000
2005-9	116	Nail	400	Quadrant 1	Iron	1	409577,290000	353718,916600
2005-9	117	Nail	400	Quadrant 1	Iron	1	409578,480000	353721,040000
2005-9	118	Nail	253	Quadrant 2	Iron	1	409570,671500	353725,563500
2005-9	119	Nail	253	Quadrant 2	Iron	1	409569,450000	353722,140000
2005-9	120	Nail	229	Quadrant 1	Iron	1	409571,060000	353720,360000
2005-9	121	Nail	229	Quadrant 1	Iron	1	409571,110000	353719,140000
2005-9	122	Nail	229	Quadrant 1	Iron	1	409570,870000	353718,220000
2005-9	123	Nail	229	Quadrant 1	Iron	1	409572,020000	353716,140000
2005-9	124	Iron Object	400	Quadrant 1	Iron	1	409576,660000	353720,580000
2005-9	125	Bolt	458	Quadrant 2	Iron	1	409576,040000	353726,470000
2005-9	126	Iron Object	458	Quadrant 2	Iron	1	409576,040000	353726,470000
2005-9	127	Iron Object	458	Quadrant 2	Iron	1	409575,680000	353724,670000
2005-9	128	Iron Object	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	129	Iron Object	400	Quadrant 1	Iron	1	409576,450000	353716,110000
2005-9	130	Iron Object	359	Quadrant 1	Iron	1	409576,400000	353718,750000
2005-9	131	Nail	400	Quadrant 1	Iron	1	409578,270000	353719,640000
2005-9	132	Nail	400	Quadrant 1	Iron	1	409578,270000	353719,640000
2005-9	133	Nail	510	Quadrant 2	Iron	1	409578,060000	353724,280000
2005-9	134	Nail	510	Quadrant 2	Iron	1	409578,060000	353724,280000
2005-9	135	Nail	359	Quadrant 1	Iron	1	409575,780000	353718,180000
2005-9	136	Nail	359	Quadrant 1	Iron	1	409575,780000	353718,180000
2005-9	137	Nail	359	Quadrant 1	Iron	1	409575,780000	353718,180000
2005-9	138	Nail	359	Quadrant 1	Iron	1	409575,780000	353718,180000
2005-9	139	Iron Object	359	Quadrant 1	Iron	1	409575,780000	353718,180000
2005-9	140	Nail	400	Quadrant 1	Iron	1	409575,400000	353719,490000
2005-9	141	Nail	400	Quadrant 1	Iron	1	409577,290000	353718,916600
2005-9	142	Nail	400	Quadrant 1	Iron	1	409575,400000	353719,490000

2005-9	143	Nail	400	Quadrant 1	Iron	1	409575,400000	353719,490000
2005-9	144	Nail	400	Quadrant 1	Iron	1	409575,400000	353719,490000
2005-9	145	Iron Object	458	Quadrant 2	Iron	1	409574,440000	353723,460000
2005-9	146	Iron Object	458	Quadrant 2	Iron	1	409574,680000	353727,550000
2005-9	147	Iron Object	458	Quadrant 2	Iron	1	409575,630000	353725,100000
2005-9	148	Horseshoe	533	Quadrant 2	Iron	1	409573,310000	353728,600000
2005-9	149	Glass	533	Quadrant 2	Glass	1	409573,580000	353729,770000
2005-9	150	Bone	458	Quadrant 2	Bone	1	409574,110000	353723,390000
2005-9	151	Iron Object	359	Quadrant 1	Iron	1	409576,060600	353717,933800
2005-9	152	Screw	359	Quadrant 1	Iron	1	409576,060600	353717,933800
2005-9	153	Iron Object	359	Quadrant 1	Iron	1	409576,060600	353717,933800
2005-9	154	Glass	16989	Quadrant 4	Glass	1	409595,610000	353722,410000
2005-9	155	Glass	16989	Quadrant 4	Glass	1	409596,630000	353724,040000
2005-9	156	Glass	17125	Quadrant 3	Glass	1	409592,970000	353734,080000
2005-9	157	Glass	282	Quadrant 1	Glass	1	409573,600000	353716,460000
2005-9	158	Glass	17125	Quadrant 3	Glass	2	409587,440000	353733,630000
2005-9	159	Glass	376	Quadrant 1	Glass	1	409577,190000	353715,700000
2005-9	160	Bottle	16793	Quadrant 4	Glass	1	409591,330000	353718,040000
2005-9	161	Bottle	16934	Quadrant 4	Glass	2	409597,210000	353722,650000
2005-9	162	Glass	16934	Quadrant 4	Glass	1	409596,230000	353722,270000
2005-9	163	Glass	16934	Quadrant 4	Glass	1	409596,230000	353722,270000
2005-9	164	Glass	17125	Quadrant 3	Glass	1	409591,880000	353734,880000
2005-9	165	Glass	17125	Quadrant 3	Glass	1	409593,060000	353734,180000
2005-9	166	Glass	17125	Quadrant 3	Glass	1	409592,660000	353735,310000
2005-9	167	Glass	17125	Quadrant 3	Glass	1	409592,120000	353734,740000
2005-9	168	Bottle	376	Quadrant 1	Glass	1	409577,810000	353716,070000
2005-9	169	Bottle	533	Quadrant 2	Glass	1	409580,630000	353730,170000
2005-9	170	Bottle	533	Quadrant 2	Glass	5	409575,220000	353732,840000
2005-9	171	Glass	282	Quadrant 1	Glass	1	409573,150000	353721,170000
2005-9	172	Glass	282	Quadrant 1	Glass	1	409574,110000	353721,170000
2005-9	173	Bottle	282	Quadrant 1	Glass	1	409574,110000	353721,170000
2005-9	174	Bottle	282	Quadrant 1	Glass	3	409573,270000	353719,200000
2005-9	175	Glass	282	Quadrant 1	Glass	3	409573,270000	353719,200000
2005-9	176	Glass	16934	Quadrant 4	Glass	1	409595,650000	353721,760000
2005-9	177	Glass	16934	Quadrant 4	Glass	1	409595,650000	353721,760000
2005-9	178	Glass	16934	Quadrant 4	Glass	1	409595,650000	353721,760000
2005-9	179	Bottle	282	Quadrant 1	Glass	1	409572,860000	353716,810000
2005-9	179	Glass	16989	Quadrant 4	Glass	1	409594,150000	353722,430000
2005-9	180	Glass	282	Quadrant 1	Glass	1	409573,650000	353716,320000
2005-9	181	Glass	282	Quadrant 1	Glass	1	409574,890000	353715,570000
2005-9	182	Glass	16989	Quadrant 4	Glass	3	409595,160000	353723,700000
2005-9	183	Glass	17125	Quadrant 3	Glass	1	409593,440000	353734,390000
2005-9	184	Glass	282	Quadrant 1	Glass	2	409574,030000	353713,920000
2005-9	185	Glass	282	Quadrant 1	Glass	1	409574,030000	353713,920000
2005-9	186	Glass	282	Quadrant 1	Glass	1	409574,030000	353713,920000
2005-9	187	Glass	282	Quadrant 1	Glass	1	409574,030000	353713,920000
2005-9	188	Glass	376	Quadrant 1	Glass	1	409575,600000	353713,770000
2005-9	189	Glass	16793	Quadrant 4	Glass	3	409594,760000	353717,990000

2005-9	189	Glass	282	Quadrant 1	Glass	1	409572,860000	353716,810000
2005-9	190	Glass	282	Quadrant 1	Glass	1	409574,320000	353714,030000
2005-9	191	Glass	282	Quadrant 1	Glass	1	409573,560000	353719,980000
2005-9	192	Glass	282	Quadrant 1	Glass	8	409573,560000	353719,980000
2005-9	193	Glass	282	Quadrant 1	Glass	9	409573,560000	353719,980000
2005-9	194	Glass	282	Quadrant 1	Glass	3	409573,560000	353719,980000
2005-9	195	Glass	282	Quadrant 1	Glass	6	409573,560000	353719,980000
2005-9	196	Bottle	282	Quadrant 1	Glass	1	409574,580000	353719,800000
2005-9	199	Glass	376	Quadrant 1	Glass	1	409585,280000	353717,660000
2005-9	200	Bottle	533	Quadrant 2	Glass	2	409578,170000	353732,520000
2005-9	201	Glass	282	Quadrant 1	Glass	1	409573,960000	353720,340000
2005-9	202	Bottle	282	Quadrant 1	Glass	1	409572,500000	353717,260000
2005-9	203	Brick	282	Quadrant 1	Ceramic	1	409572,420000	353718,040000
2005-9	203	Glass	282	Quadrant 1	Glass	2	409575,050000	353719,230000
2005-9	204	Glass	282	Quadrant 1	Glass	2	409575,050000	353719,230000
2005-9	205	Glass	282	Quadrant 1	Glass	5	409575,050000	353719,230000
2005-9	206	Glass	282	Quadrant 1	Glass	3	409575,050000	353719,230000
2005-9	206	Iron Object	376	Quadrant 1	Iron	1	409583,880000	353718,100000
2005-9	207	Glass	282	Quadrant 1	Glass	1	409573,150000	353717,730000
2005-9	208	Glass	376	Quadrant 1	Glass	3	409585,300000	353717,060000
2005-9	209	Glass	376	Quadrant 1	Glass	2	409585,280000	353718,620000
2005-9	210	Glass	376	Quadrant 1	Glass	1	409585,280000	353718,620000
2005-9	211	Glass	376	Quadrant 1	Glass	1	409581,560000	353715,700000
2005-9	212	Glass	376	Quadrant 1	Glass	3	409581,560000	353715,700000
2005-9	213	Bottle	533	Quadrant 2	Glass	6	409577,290000	353728,430000
2005-9	214	Glass	282	Quadrant 1	Glass	3	409574,350000	353719,520000
2005-9	215	Glass	282	Quadrant 1	Glass	6	409574,350000	353719,520000
2005-9	216	Glass	376	Quadrant 1	Glass	9	409584,680000	353716,860000
2005-9	217	Glass	376	Quadrant 1	Glass	1	409584,680000	353716,860000
2005-9	218	Glass	376	Quadrant 1	Glass	1	409584,680000	353716,860000
2005-9	219	Glass	376	Quadrant 1	Glass	1	409578,866700	353714,035200
2005-9	220	Bottle	282	Quadrant 1	Glass	1	409574,640000	353719,910000
2005-9	221	Glass	282	Quadrant 1	Glass	6	409574,640000	353719,910000
2005-9	222	Bottle	533	Quadrant 2	Glass	1	409579,910000	353731,410000
2005-9	223	Glass	376	Quadrant 1	Glass	3	409585,740000	353717,140000
2005-9	224	Glass	16989	Quadrant 4	Glass	3	409596,050000	353723,640000
2005-9	225	Glass	16989	Quadrant 4	Glass	1	409595,750000	353723,430000
2005-9	226	Bottle	533	Quadrant 2	Glass	1	409578,720000	353735,250000
2005-9	227	Glass	376	Quadrant 1	Glass	1	409585,190000	353716,780000
2005-9	228	Bottle	282	Quadrant 1	Glass	1	409573,180000	353718,050000
2005-9	229	Bottle	533	Quadrant 2	Glass	1	409578,360000	353735,180000
2005-9	230	Glass	282	Quadrant 1	Glass	1	409574,190000	353719,250000
2005-9	231	Glass	282	Quadrant 1	Glass	4	409574,190000	353719,250000
2005-9	232	Glass	376	Quadrant 1	Glass	1	409581,920000	353717,530000
2005-9	233	Glass	282	Quadrant 1	Glass	3	409573,230000	353717,080000
2005-9	234	Glass	282	Quadrant 1	Glass	3	409574,380000	353720,620000
2005-9	235	Glass	229	Quadrant 1	Glass	6	409571,650000	353720,030000
2005-9	236	Glass	376	Quadrant 1	Glass	3	409584,800000	353716,330000

2005-9	237	Glass	282	Quadrant 1	Glass	1	409573,370000	353717,050000
2005-9	238	Glass	282	Quadrant 1	Glass	1	409574,020000	353718,010000
2005-9	239	Glass	282	Quadrant 1	Glass	1	409572,030000	353719,400000
2005-9	240	Glass	533	Quadrant 2	Glass	2	409576,830000	353729,060000
2005-9	241	Glass	282	Quadrant 1	Glass	1	409573,350000	353716,370000
2005-9	242	Glass	282	Quadrant 1	Glass	1	409574,250000	353716,850000
2005-9	243	Glass	282	Quadrant 1	Glass	2	409574,250000	353716,850000
2005-9	244	Glass	282	Quadrant 1	Glass	2	409574,250000	353716,850000
2005-9	245	Bottle	282	Quadrant 1	Glass	2	409574,430000	353720,580000
2005-9	246	Bottle	282	Quadrant 1	Glass	2	409572,660000	353717,650000
2005-9	247	Bottle	282	Quadrant 1	Glass	3	409572,460000	353720,480000
2005-9	248	Bottle	282	Quadrant 1	Glass	1	409572,460000	353720,480000
2005-9	249	Bottle	282	Quadrant 1	Glass	2	409572,250000	353716,640000
2005-9	250	Glass	282	Quadrant 1	Glass	3	409572,100000	353720,990000
2005-9	251	Glass	282	Quadrant 1	Glass	4	409572,100000	353720,990000
2005-9	252	Glass	282	Quadrant 1	Glass	4	409574,070000	353719,920000
2005-9	253	Glass	282	Quadrant 1	Glass	8	409574,070000	353719,920000
2005-9	254	Glass	282	Quadrant 1	Glass	4	409574,070000	353719,920000
2005-9	255	Glass	282	Quadrant 1	Glass	2	409574,680000	353719,620000
2005-9	256	Bottle	282	Quadrant 1	Glass	1	409574,680000	353719,620000
2005-9	257	Whiteware	16989	Quadrant 4	Ceramic	2	409595,440000	353723,780000
2005-9	258	Porcelain	376	Quadrant 1	Ceramic	1	409586,430000	353715,540000
2005-9	259	Stoneware	533	Quadrant 2	Ceramic	2	---	---
2005-9	260	Porcelain	282	Quadrant 1	Ceramic	1	409573,610000	353718,030000
2005-9	261	Stoneware	17125	Quadrant 3	Ceramic	1	---	---
2005-9	262	Whiteware	282	Quadrant 1	Ceramic	2	409574,660000	353719,480000
2005-9	263	Stoneware	282	Quadrant 1	Ceramic	1	---	---
2005-9	264	Whiteware	376	Quadrant 1	Ceramic	1	409584,840000	353717,610000
2005-9	265	Porcelain	282	Quadrant 1	Ceramic	1	409573,610000	353717,620000
2005-9	266	Porcelain	282	Quadrant 1	Ceramic	1	409584,840000	353717,610000
2005-9	267	Whiteware	282	Quadrant 1	Ceramic	2	409572,870000	353717,770000
2005-9	268	Whiteware	376	Quadrant 1	Ceramic	1	409586,290000	353714,960000
2005-9	269	Whiteware	16934	Quadrant 4	Ceramic	1	409596,640000	353722,040000
2005-9	270	Whiteware	282	Quadrant 1	Ceramic	6	409574,450000	353716,370000
2005-9	271	Whiteware	282	Quadrant 1	Ceramic	1	409572,600000	353715,850000
2005-9	272	Brick	16989	Quadrant 4	Ceramic	1	409593,950000	353722,990000
2005-9	273	Porcelain	282	Quadrant 1	Ceramic	3	409574,740000	353715,680000
2005-9	274	Porcelain	16793	Quadrant 4	Ceramic	1	409595,350000	353719,570000
2005-9	275	Whiteware	17125	Quadrant 3	Ceramic	2	409589,380000	353733,390000
2005-9	276	Redware	282	Quadrant 1	Ceramic	1	409572,660000	353715,580000
2005-9	277	Whiteware	282	Quadrant 1	Ceramic	1	409573,130000	353716,430000
2005-9	278	Whiteware	17125	Quadrant 3	Ceramic	4	409587,490000	353732,860000
2005-9	279	Whiteware	16793	Quadrant 4	Ceramic	3	409595,310000	353719,310000
2005-9	280	Porcelain	282	Quadrant 1	Ceramic	1	409575,510000	353716,190000
2005-9	281	Whiteware	16793	Quadrant 4	Ceramic	1	409591,660000	353716,870000
2005-9	282	Stoneware	17125	Quadrant 3	Ceramic	1	---	---
2005-9	283	Porcelain	282	Quadrant 1	Ceramic	4	409574,310000	353715,860000
2005-9	284	Brick	282	Quadrant 1	Ceramic	5	409573,770000	353716,840000

2005-9	285	Whiteware	376	Quadrant 1	Ceramic	3	409584,960000	353717,130000
2005-9	286	Whiteware	533	Quadrant 2	Ceramic	2	409579,410000	353731,550000
2005-9	287	Stoneware	282	Quadrant 1	Ceramic	1	---	---
2005-9	288	Stoneware	533	Quadrant 2	Ceramic	2	---	---
2005-9	289	Whiteware	16989	Quadrant 4	Ceramic	1	409594,570000	353722,570000
2005-9	290	Whiteware	533	Quadrant 2	Ceramic	3	409576,590000	353729,760000
2005-9	291	Whiteware	376	Quadrant 1	Ceramic	3	409581,180000	353715,260000
2005-9	292	Whiteware	282	Quadrant 1	Ceramic	12	409574,230000	353721,380000
2005-9	293	Stoneware	376	Quadrant 1	Ceramic	2	---	---
2005-9	294	Whiteware	376	Quadrant 1	Ceramic	1	409583,760000	353713,660000
2005-9	295	Whiteware	533	Quadrant 2	Ceramic	4	409580,160000	353730,280000
2005-9	296	Whiteware	282	Quadrant 1	Ceramic	2	409572,530000	353721,010000
2005-9	297	Redware	282	Quadrant 1	Ceramic	1	409574,130000	353715,360000
2005-9	298	Stoneware	533	Quadrant 2	Ceramic	1	---	---
2005-9	299	Redware	282	Quadrant 1	Ceramic	1	409571,400000	353718,260000
2005-9	300	Whiteware	16793	Quadrant 4	Ceramic	8	409591,360000	353718,210000
2005-9	301	Stoneware	376	Quadrant 1	Ceramic	1	---	---
2005-9	302	Brick	282	Quadrant 1	Ceramic	2	409572,420000	353718,040000
2005-9	304	Brick	282	Quadrant 1	Ceramic	1	409572,420000	353718,040000
2005-9	305	Brick	282	Quadrant 1	Ceramic	2	409571,560000	353717,870000
2005-9	306	Brick	Loose Find	---	Ceramic	8	---	---
2005-9	307	Brick	Loose Find	---	Ceramic	4	---	---
2005-9	308	Whiteware	Loose Find	---	Ceramic	2	---	---
2005-9	309	Bottle	328	Quadrant 2	Glass	1	409572,240000	353724,520000
2005-9	309	Stoneware	Loose Find	---	Ceramic	2	---	---
2005-9	310	Porcelain	Loose Find	---	Ceramic	1	---	---
2005-9	311	Stoneware	Loose Find	---	Ceramic	1	---	---
2005-9	312	Stoneware	Loose Find	---	Ceramic	1	---	---
2005-9	313	Unknown	Loose Find	---	Plastic	1	---	---
2005-9	314	Slate	Loose Find	---	Stone	1	---	---
2005-9	315	Whetstone	376	Quadrant 1	Stone	1	409585,020000	353718,120000
2005-9	316	Whetstone	533	Quadrant 2	Stone	13	409578,100000	353729,960000
2005-9	317	Whetstone	533	Quadrant 2	Stone	1	409576,560000	353732,630000
2005-9	318	Clay Pipe	376	Quadrant 1	Ceramic	1	---	---
2005-9	319	Glass	16934	Quadrant 4	Glass	3	409595,970000	353721,920000
2005-9	320	Chain	282	Quadrant 1	Lead	2	409574,250000	353715,860000
2005-9	321	Button	533	Quadrant 2	Bone	1	409576,390000	353731,800000
2005-9	322	Chain	533	Quadrant 2	Bronze	2	409578,630000	353729,610000
2005-9	323	Nail	282	Quadrant 1	Iron	1	409575,300000	353715,480000
2005-9	323	Slag	282	Quadrant 1	Iron	1	409571,780000	353717,610000
2005-9	324	Slag	16934	Quadrant 4	Iron	3	409597,280000	353723,050000

2005-9	325	Slag	282	Quadrant 1	Iron	1	409571,370000	353717,960000
2005-9	326	Stone Tool	533	Quadrant 2	Stone	1	409574,860000	353732,370000
2005-9	327	Nail	282	Quadrant 1	Iron	1	409574,850000	353715,780000
2005-9	328	Nail	282	Quadrant 1	Iron	1	409574,850000	353715,780000
2005-9	329	Nail	282	Quadrant 1	Iron	1	409574,850000	353715,780000
2005-9	330	Nail	282	Quadrant 1	Iron	1	409574,850000	353715,780000
2005-9	331	Nail	282	Quadrant 1	Iron	1	409574,850000	353715,780000
2005-9	333	Nail	282	Quadrant 1	Iron	1	409575,300000	353715,480000
2005-9	334	Nail	282	Quadrant 1	Iron	1	409575,300000	353715,480000
2005-9	335	Nail	282	Quadrant 1	Iron	1	409575,300000	353715,480000
2005-9	336	Screw	282	Quadrant 1	Iron	1	409576,740000	353713,380000
2005-9	337	Nail	282	Quadrant 1	Iron	1	409576,740000	353713,380000
2005-9	338	Nail	282	Quadrant 1	Iron	1	409576,740000	353713,380000
2005-9	339	Nail	376	Quadrant 1	Iron	1	409583,940000	353717,560000
2005-9	340	Nail	376	Quadrant 1	Iron	1	409584,310000	353717,100000
2005-9	341	Iron Object	376	Quadrant 1	Iron	1	409581,580000	353715,340000
2005-9	342	Iron Object	376	Quadrant 1	Iron	1	409581,440000	353715,220000
2005-9	343	Iron Object	376	Quadrant 1	Iron	1	409581,440000	353715,220000
2005-9	344	Nail	282	Quadrant 1	Iron	1	409574,920000	353714,450000
2005-9	345	Nail	282	Quadrant 1	Iron	1	409574,920000	353714,450000
2005-9	346	Nail	282	Quadrant 1	Iron	1	409574,920000	353714,450000
2005-9	347	Nail	282	Quadrant 1	Iron	1	409574,920000	353714,450000
2005-9	348	Nail	376	Quadrant 1	Iron	1	409585,450000	353714,590000
2005-9	349	Nail	376	Quadrant 1	Iron	1	409585,450000	353714,590000
2005-9	350	Nail	16793	Quadrant 4	Iron	1	409592,290000	353718,390000
2005-9	351	Nail	16793	Quadrant 4	Iron	1	409592,290000	353718,390000
2005-9	352	Nail	16793	Quadrant 4	Iron	1	409592,290000	353718,390000
2005-9	353	Nail	16793	Quadrant 4	Iron	1	409592,290000	353718,390000
2005-9	354	Nail	376	Quadrant 1	Iron	1	409583,810000	353717,010000
2005-9	355	Nail	376	Quadrant 1	Iron	1	409578,070000	353714,470000
2005-9	356	Nail	16793	Quadrant 4	Iron	1	409595,820000	353719,120000
2005-9	357	Nail	16793	Quadrant 4	Iron	1	409595,820000	353719,120000
2005-9	358	Nail	16793	Quadrant 4	Iron	1	409595,820000	353719,120000
2005-9	359	Nail	16793	Quadrant 4	Iron	1	409597,810000	353718,810000
2005-9	360	Nail	282	Quadrant 1	Iron	1	409574,470000	353715,520000
2005-9	361	Nail	282	Quadrant 1	Iron	1	409574,470000	353715,520000
2005-9	362	Nail	282	Quadrant 1	Iron	1	409574,470000	353715,520000
2005-9	363	Nail	282	Quadrant 1	Iron	1	409574,470000	353715,520000
2005-9	364	Nail	282	Quadrant 1	Iron	1	409574,470000	353715,520000
2005-9	365	Nail	282	Quadrant 1	Iron	1	409575,210000	353717,000000
2005-9	366	Nail	282	Quadrant 1	Iron	1	409575,210000	353717,000000
2005-9	367	Nail	282	Quadrant 1	Iron	1	409575,210000	353717,000000
2005-9	368	Nail	282	Quadrant 1	Iron	1	409575,210000	353717,000000
2005-9	369	Nail	282	Quadrant 1	Iron	1	409575,210000	353717,000000
2005-9	370	Nail	376	Quadrant 1	Iron	1	409585,490000	353718,980000
2005-9	371	Nail	282	Quadrant 1	Iron	1	409575,000000	353718,860000
2005-9	372	Nail	282	Quadrant 1	Iron	1	409575,000000	353718,860000
2005-9	373	Nail	282	Quadrant 1	Iron	1	409575,000000	353718,860000

2005-9	374	Nail	282	Quadrant 1	Iron	1	409574,270000	353719,020000
2005-9	375	Nail	282	Quadrant 1	Iron	1	409574,270000	353719,020000
2005-9	376	Nail	282	Quadrant 1	Iron	1	409574,270000	353719,020000
2005-9	377	Nail	282	Quadrant 1	Iron	1	409573,080000	353716,220000
2005-9	378	Nail	282	Quadrant 1	Iron	1	409573,080000	353716,220000
2005-9	379	Nail	16989	Quadrant 4	Iron	1	409595,290000	353722,310000
2005-9	380	Nail	376	Quadrant 1	Iron	1	409579,760000	353714,480000
2005-9	381	Nail	282	Quadrant 1	Iron	1	409574,920000	353719,230000
2005-9	382	Nail	282	Quadrant 1	Iron	1	409574,920000	353719,230000
2005-9	383	Nail	282	Quadrant 1	Iron	1	409574,920000	353719,230000
2005-9	384	Nail	282	Quadrant 1	Iron	1	409574,920000	353719,230000
2005-9	385	Nail	282	Quadrant 1	Iron	1	409574,920000	353719,230000
2005-9	386	Nail	282	Quadrant 1	Iron	1	409574,920000	353719,230000
2005-9	387	Nail	282	Quadrant 1	Iron	1	409574,920000	353719,230000
2005-9	388	Nail	17125	Quadrant 3	Iron	1	409581,750000	353731,500000
2005-9	389	Nail	533	Quadrant 2	Iron	1	409576,330000	353732,660000
2005-9	390	Nail	282	Quadrant 1	Iron	1	409574,990000	353714,930000
2005-9	391	Nail	282	Quadrant 1	Iron	1	409574,990000	353714,930000
2005-9	392	Nail	282	Quadrant 1	Iron	1	409574,990000	353714,930000
2005-9	393	Nail	282	Quadrant 1	Iron	1	409573,000000	353716,680000
2005-9	394	Nail	376	Quadrant 1	Iron	1	409584,790000	353718,370000
2005-9	395	Nail	282	Quadrant 1	Iron	1	409573,890000	353717,390000
2005-9	396	Nail	282	Quadrant 1	Iron	1	409573,890000	353717,390000
2005-9	397	Nail	282	Quadrant 1	Iron	1	409573,890000	353717,390000
2005-9	398	Nail	376	Quadrant 1	Iron	1	409575,610000	353713,040000
2005-9	399	Nail	376	Quadrant 1	Iron	1	409575,610000	353713,040000
2005-9	400	Nail	376	Quadrant 1	Iron	1	409575,610000	353713,040000
2005-9	401	Nail	282	Quadrant 1	Iron	1	409574,630000	353715,090000
2005-9	402	Nail	282	Quadrant 1	Iron	1	409574,630000	353715,090000
2005-9	403	Nail	282	Quadrant 1	Iron	1	409574,630000	353715,090000
2005-9	404	Nail	282	Quadrant 1	Iron	1	409574,630000	353715,090000
2005-9	405	Nail	282	Quadrant 1	Iron	1	409574,630000	353715,090000
2005-9	406	Nail	376	Quadrant 1	Iron	1	409585,180000	353718,350000
2005-9	407	Nail	376	Quadrant 1	Iron	1	409585,670000	353718,500000
2005-9	408	Nail	376	Quadrant 1	Iron	1	409585,850000	353717,800000
2005-9	409	Nail	376	Quadrant 1	Iron	1	409585,850000	353717,800000
2005-9	410	Nail	376	Quadrant 1	Iron	1	409584,030000	353715,720000
2005-9	411	Nail	376	Quadrant 1	Iron	1	409584,030000	353715,720000
2005-9	412	Nail	282	Quadrant 1	Iron	1	409574,530000	353715,970000
2005-9	413	Nail	282	Quadrant 1	Iron	1	409574,530000	353715,970000
2005-9	414	Nail	282	Quadrant 1	Iron	1	409574,530000	353715,970000
2005-9	415	Nail	282	Quadrant 1	Iron	1	409574,260000	353716,270000
2005-9	416	Nail	282	Quadrant 1	Iron	1	409574,260000	353716,270000
2005-9	417	Nail	282	Quadrant 1	Iron	1	409574,260000	353716,270000
2005-9	418	Nail	282	Quadrant 1	Iron	1	409574,820000	353715,330000
2005-9	419	Nail	282	Quadrant 1	Iron	1	409574,820000	353715,330000
2005-9	420	Nail	282	Quadrant 1	Iron	1	409574,820000	353715,330000
2005-9	421	Nail	282	Quadrant 1	Iron	1	409573,550000	353716,050000

2005-9	422	Nail	282	Quadrant 1	Iron	1	409573,550000	353716,050000
2005-9	423	Nail	376	Quadrant 1	Iron	1	409577,340000	353714,050000
2005-9	424	Nail	282	Quadrant 1	Iron	1	409577,340000	353714,050000
2005-9	425	Nail	376	Quadrant 1	Iron	1	409577,340000	353714,050000
2005-9	426	Nail	376	Quadrant 1	Iron	1	409577,340000	353714,050000
2005-9	427	Nail	282	Quadrant 1	Iron	1	409574,520000	353716,990000
2005-9	428	Nail	282	Quadrant 1	Iron	1	409574,520000	353716,990000
2005-9	429	Nail	282	Quadrant 1	Iron	1	409574,520000	353716,990000
2005-9	430	Nail	282	Quadrant 1	Iron	1	409574,520000	353716,990000
2005-9	431	Nail	376	Quadrant 1	Iron	1	409581,580000	353713,250000
2005-9	432	Nail	282	Quadrant 1	Iron	1	409575,670000	353716,050000
2005-9	433	Nail	282	Quadrant 1	Iron	1	409574,570000	353716,350000
2005-9	434	Nail	282	Quadrant 1	Iron	1	409574,570000	353716,350000
2005-9	435	Nail	282	Quadrant 1	Iron	1	409574,570000	353716,350000
2005-9	436	Nail	282	Quadrant 1	Iron	1	409574,570000	353716,350000
2005-9	437	Nail	282	Quadrant 1	Iron	1	409574,570000	353716,350000
2005-9	438	Nail	16793	Quadrant 4	Iron	1	409591,320000	353716,970000
2005-9	439	Nail	16793	Quadrant 4	Iron	1	409594,720000	353717,960000
2005-9	440	Nail	16793	Quadrant 4	Iron	1	409594,720000	353717,960000
2005-9	441	Nail	376	Quadrant 1	Iron	1	409577,100000	353711,420000
2005-9	442	Nail	376	Quadrant 1	Iron	1	409577,100000	353711,420000
2005-9	443	Nail	376	Quadrant 1	Iron	1	409577,100000	353711,420000
2005-9	444	Nail	376	Quadrant 1	Iron	1	409577,100000	353711,420000
2005-9	445	Nail	376	Quadrant 1	Iron	1	409577,100000	353711,420000
2005-9	446	Nail	376	Quadrant 1	Iron	1	409577,100000	353711,420000
2005-9	447	Nail	282	Quadrant 1	Iron	1	409574,250000	353716,070000
2005-9	448	Nail	282	Quadrant 1	Iron	1	409573,630000	353719,230000
2005-9	449	Nail	376	Quadrant 1	Iron	1	409577,980000	353715,290000
2005-9	450	Nail	376	Quadrant 1	Iron	1	409577,980000	353715,290000
2005-9	451	Nail	376	Quadrant 1	Iron	1	409577,980000	353715,290000
2005-9	452	Nail	376	Quadrant 1	Iron	1	409577,980000	353715,290000
2005-9	453	Nail	376	Quadrant 1	Iron	1	409577,980000	353715,290000
2005-9	454	Nail	376	Quadrant 1	Iron	1	409577,980000	353715,290000
2005-9	455	Nail	376	Quadrant 1	Iron	1	409581,160000	353715,400000
2005-9	456	Nail	16934	Quadrant 4	Iron	1	409597,050000	353722,940000
2005-9	457	Nail	16793	Quadrant 4	Iron	1	409594,050000	353718,830000
2005-9	458	Nail	16793	Quadrant 4	Iron	1	409594,050000	353718,830000
2005-9	459	Nail	376	Quadrant 1	Iron	1	409576,340000	353715,200000
2005-9	460	Nail	376	Quadrant 1	Iron	1	409576,340000	353715,200000
2005-9	461	Nail	376	Quadrant 1	Iron	1	409576,340000	353715,200000
2005-9	462	Nail	376	Quadrant 1	Iron	1	409576,340000	353715,200000
2005-9	463	Nail	376	Quadrant 1	Iron	1	409576,340000	353715,200000
2005-9	464	Nail	376	Quadrant 1	Iron	1	409583,090000	353716,580000
2005-9	465	Nail	17125	Quadrant 3	Iron	1	409587,000000	353732,590000
2005-9	466	Nail	17125	Quadrant 3	Iron	1	409587,000000	353732,590000
2005-9	467	Nail	17125	Quadrant 3	Iron	1	409587,000000	353732,590000
2005-9	468	Nail	17125	Quadrant 3	Iron	1	409587,000000	353732,590000
2005-9	469	Nail	282	Quadrant 1	Iron	1	409574,100000	353714,400000

2005-9	470	Nail	16989	Quadrant 4	Iron	1	409594,010000	353722,390000
2005-9	471	Nail	16934	Quadrant 4	Copper	1	409595,850000	353721,920000
2005-9	472	Nail	533	Quadrant 2	Copper	1	409576,680000	353728,940000
2005-9	473	Nail	282	Quadrant 1	Copper	1	409573,330000	353716,070000
2005-9	474	Nail	282	Quadrant 1	Copper	1	409573,330000	353716,070000
2005-9	475	Nail	282	Quadrant 1	Iron	1	409573,750000	353720,870000
2005-9	476	Nail	282	Quadrant 1	Iron	1	409573,750000	353720,870000
2005-9	477	Iron Object	533	Quadrant 2	Iron	1	409578,150000	353729,790000
2005-9	478	Iron Object	376	Quadrant 1	Iron	1	409581,580000	353715,340000
2005-9	479	Iron Object	376	Quadrant 1	Iron	1	409582,220000	353717,160000
2005-9	480	Iron Object	16934	Quadrant 4	Iron	1	409595,900000	353721,830000
2005-9	481	Nail	376	Quadrant 1	Iron	1	409583,150000	353717,540000
2005-9	482	Iron Object	282	Quadrant 1	Iron	1	409574,490000	353719,350000
2005-9	483	Iron Object	17125	Quadrant 3	Iron	1	409592,200000	353734,310000
2005-9	484	Iron Object	282	Quadrant 1	Iron	1	409573,050000	353715,840000
2005-9	485	Iron Object	376	Quadrant 1	Iron	1	409583,390000	353716,900000
2005-9	486	Iron Object	282	Quadrant 1	Iron	1	409574,240000	353715,160000
2005-9	487	Iron Object	16989	Quadrant 4	Iron	1	409593,750000	353723,030000
2005-9	488	Iron Object	282	Quadrant 1	Iron	1	409574,600000	353720,170000
2005-9	489	Iron Object	376	Quadrant 1	Iron	1	409584,660000	353718,230000
2005-9	490	Iron Object	282	Quadrant 1	Iron	1	409574,150000	353715,980000
2005-9	491	Iron Object	282	Quadrant 1	Iron	1	409573,800000	353719,050000
2005-9	492	Iron Object	533	Quadrant 2	Iron	1	409578,150000	353732,810000
2005-9	493	Iron Object	282	Quadrant 1	Iron	1	409573,440000	353716,760000
2005-9	494	Iron Object	16989	Quadrant 4	Iron	1	409595,780000	353722,800000
2005-9	495	Iron Object	376	Quadrant 1	Iron	1	409582,020000	353715,200000
2005-9	496	Iron Object	16793	Quadrant 4	Iron	1	409596,100000	353719,210000
2005-9	497	Iron Object	282	Quadrant 1	Iron	1	409572,910000	353715,500000
2005-9	498	Iron Object	376	Quadrant 1	Iron	1	409584,970000	353718,420000
2005-9	499	Iron Object	533	Quadrant 2	Iron	1	409577,040000	353730,570000
2005-9	500	Iron Object	16793	Quadrant 4	Iron	1	409595,450000	353718,600000
2005-9	501	Iron Object	282	Quadrant 1	Iron	1	409575,120000	353716,280000
2005-9	502	Iron Object	533	Quadrant 2	Iron	1	409581,750000	353731,500000
2005-9	503	Iron Object	16793	Quadrant 4	Iron	1	409593,770000	353717,670000
2005-9	504	Iron Object	376	Quadrant 1	Iron	1	409583,260000	353717,180000
2005-9	505	Horseshoe	282	Quadrant 1	Iron	1	409572,980000	353720,540000
2005-9	507	Iron Object	376	Quadrant 1	Iron	1	409585,280000	353716,950000
2005-9	508	Iron Object	16793	Quadrant 4	Iron	1	409591,550000	353718,330000
2005-9	509	Iron Object	16793	Quadrant 4	Iron	1	409594,080000	353717,510000
2005-9	510	Iron Object	17125	Quadrant 3	Iron	1	409588,200000	353733,860000
2005-9	511	Iron Object	16793	Quadrant 4	Iron	1	409592,460000	353718,610000
2005-9	512	Iron Object	282	Quadrant 1	Iron	1	409574,550000	353715,810000
2005-9	513	Iron Object	376	Quadrant 1	Iron	1	409584,020000	353716,870000
2005-9	514	Iron Object	Loose Find	---	Iron	1	---	---
2005-9	515	Iron Object	Loose Find	---	Iron	1	---	---
2005-9	516	Hook	376	Quadrant 1	Iron	1	409577,770000	353715,620000
2005-9	517	Hook	282	Quadrant 1	Iron	1	409575,230000	353717,520000

2005-9	518	Hook	282	Quadrant 1	Iron	1	409574,000000	353716,340000
2005-9	519	Copper	533	Quadrant 2	Copper	1	409579,190000	353729,470000
2005-9	520	Copper	282	Quadrant 1	Copper	1	409575,080000	353716,460000
2005-9	521	Copper	533	Quadrant 2	Copper	1	409575,520000	353732,820000
2005-9	522	Ornament	376	Quadrant 1	Bronze	1	409577,460000	353715,630000
2005-9	523	Horseshoe	533	Quadrant 2	Iron	1	409588,690000	353732,960000
2005-9	524	Iron Object	Loose Find	---	Iron	1	---	---
2005-9	525	Iron Object	Loose Find	---	Iron	1	---	---
2005-9	526	Iron Object	Loose Find	---	Iron	1	---	---
2005-9	527	Iron Object	Loose Find	---	Iron	1	---	---
2005-9	528	Iron Object	282	Quadrant 1	Iron	3	409573,900000	353715,670000
2005-9	529	Stoneware	359	Quadrant 1	Ceramic	1	409576,510000	353716,880000
2005-9	530	Whiteware	400	Quadrant 1	Ceramic	1	409577,940000	353720,280000
2005-9	531	Whiteware	400	Quadrant 1	Ceramic	2	409577,290000	353718,380000
2005-9	532	Whiteware	253	Quadrant 2	Ceramic	1	409571,390000	353724,470000
2005-9	533	Brick	328	Quadrant 2	Ceramic	3	409573,090000	353724,920000
2005-9	534	Whiteware	229	Quadrant 1	Ceramic	1	409571,660000	353717,080000
2005-9	535	Stoneware	229	Quadrant 1	Ceramic	1	---	---
2005-9	536	Whiteware	229	Quadrant 1	Ceramic	2	409570,980000	353718,730000
2005-9	537	Stoneware	253	Quadrant 2	Ceramic	2	---	---
2005-9	538	Whiteware	229	Quadrant 1	Ceramic	2	409571,160000	353720,580000
2005-9	539	Whiteware	510	Quadrant 2	Ceramic	2	409577,150000	353726,820000
2005-9	540	Redware	328	Quadrant 2	Ceramic	1	409572,700000	353725,030000
2005-9	541	Whiteware	229	Quadrant 1	Ceramic	1	409570,950000	353720,390000
2005-9	542	Whiteware	229	Quadrant 1	Ceramic	2	409570,780000	353719,420000
2005-9	543	Whiteware	400	Quadrant 1	Ceramic	1	409578,270000	353722,870000
2005-9	544	Whiteware	253	Quadrant 2	Ceramic	1	409571,820000	353724,330000
2005-9	545	Redware	229	Quadrant 1	Ceramic	2	409570,430000	353719,530000
2005-9	546	Whiteware	400	Quadrant 1	Ceramic	2	409578,850000	353721,260000
2005-9	547	Redware	328	Quadrant 2	Ceramic	1	409572,880000	353725,220000
2005-9	548	Porcelain	229	Quadrant 1	Ceramic	1	409571,410000	353720,020000
2005-9	549	Whiteware	229	Quadrant 1	Ceramic	3	409571,880000	353716,620000
2005-9	550	Stoneware	400	Quadrant 1	Ceramic	1	---	---
2005-9	551	Whiteware	328	Quadrant 2	Ceramic	5	409572,590000	353725,480000
2005-9	552	Whiteware	510	Quadrant 2	Ceramic	5	409577,540000	353725,070000
2005-9	553	Whiteware	458	Quadrant 2	Ceramic	2	409575,720000	353724,440000
2005-9	554	Coin	533	Quadrant 2	Copper	1	409578,850000	353729,890000
2005-9	555	Coin	282	Quadrant 1	Copper	1	409573,250000	353715,850000
2005-9	556	Coin	Loose Find	---	Copper	1	---	---
2005-9	557	Glass	400	Quadrant 1	Glass	1	409576,500000	353720,500000
2005-9	558	Glass	359	Quadrant 1	Glass	2	409576,060000	353718,080000
2005-9	559	Glass	400	Quadrant 1	Glass	2	409578,550000	353721,560000
2005-9	560	Glass	510	Quadrant 2	Glass	1	409577,370000	353726,470000
2005-9	561	Glass	328	Quadrant 2	Glass	2	409572,190000	353723,980000
2005-9	562	Glass	253	Quadrant 2	Glass	1	409571,250000	353725,010000

2005-9	563	Glass	510	Quadrant 2	Glass	2	409577,600000	353724,290000
2005-9	564	Glass	229	Quadrant 1	Glass	2	409571,530000	353717,170000
2005-9	565	Glass	400	Quadrant 1	Glass	2	409576,980000	353718,370000
2005-9	567	Glass	229	Quadrant 1	Glass	4	409571,700000	353720,930000
2005-9	568	Glass	229	Quadrant 1	Glass	2	409570,720000	353718,950000
2005-9	568	Glass	229	Quadrant 1	Glass	3	409571,260000	353718,860000
2005-9	569	Glass	328	Quadrant 2	Glass	5	409573,460000	353724,240000
2005-9	571	Glass	253	Quadrant 2	Glass	2	409570,820000	353726,860000
2005-9	572	Glass	510	Quadrant 2	Glass	2	409577,430000	353724,700000
2005-9	573	Glass	229	Quadrant 1	Glass	1	409570,940000	353720,940000
2005-9	574	Glass	328	Quadrant 2	Glass	2	409572,520000	353726,470000
2005-9	575	Glass	328	Quadrant 2	Glass	5	409573,000000	353725,510000
2005-9	577	Glass	359	Quadrant 1	Glass	2	409575,610000	353718,960000
2005-9	578	Glass	458	Quadrant 2	Glass	3	409574,260000	353728,610000
2005-9	579	Glass	229	Quadrant 1	Glass	7	409570,580000	353720,160000
2005-9	580	Glass	458	Quadrant 2	Glass	2	409574,110000	353723,180000
2005-9	581	Glass	400	Quadrant 1	Glass	2	409577,290000	353718,916600
2005-9	582	Bottle	328	Quadrant 2	Glass	1	409573,390000	353723,950000
2005-9	583	Glass	229	Quadrant 1	Glass	11	409570,300000	353719,950000
2005-9	584	Porcelain	253	Quadrant 2	Ceramic	2	409571,820000	353724,330000
2005-9	585	Porcelain	400	Quadrant 1	Ceramic	6	409578,270000	353722,870000
2005-9	587	Bottle	253	Quadrant 2	Glass	1	409571,720000	353725,840000
2005-9	588	Glass	328	Quadrant 2	Glass	4	409572,010000	353725,850000
2005-9	589	Stoneware	400	Quadrant 1	Ceramic	1	---	---
2005-9	590	Bottle	253	Quadrant 2	Glass	5	409570,671500	353725,563500
2005-9	591	Glass	229	Quadrant 1	Glass	2	409571,620000	353719,470000
2005-9	592	Porcelain	400	Quadrant 1	Ceramic	1	409578,850000	353721,260000
2005-9	593	Bottle	400	Quadrant 1	Glass	1	409578,710000	353721,110000
2005-9	594	Glass	253	Quadrant 2	Glass	1	409570,030000	353722,270000
2005-9	595	Glass	229	Quadrant 1	Glass	5	409570,920000	353719,340000
2005-9	596	Glass	328	Quadrant 2	Glass	2	409572,720000	353725,900000
2005-9	597	Glass	400	Quadrant 1	Glass	5	409577,200000	353718,940000
2005-9	598	Glass	400	Quadrant 1	Glass	5	409575,360000	353719,720000
2005-9	599	Glass	229	Quadrant 1	Glass	9	409571,800000	353720,270000
2005-9	600	Glass	400	Quadrant 1	Glass	3	409575,550000	353720,380000
2005-9	601	Glass	328	Quadrant 2	Glass	2	409573,130000	353725,220000
2005-9	602	Porcelain	328	Quadrant 2	Ceramic	5	409572,590000	353725,480000
2005-9	603	Whiteware	458	Quadrant 2	Ceramic	6	409575,720000	353724,440000
2005-9	604	Porcelain	458	Quadrant 2	Ceramic	1	409575,720000	353724,440000
2005-9	605	Glass	253	Quadrant 2	Glass	1	409569,730000	353722,930000
2005-9	606	Glass	400	Quadrant 1	Glass	9	409577,350000	353718,630000
2005-9	607	Glass	400	Quadrant 1	Glass	1	409579,100000	353721,240000
2005-9	608	Glass	400	Quadrant 1	Glass	1	409576,880000	353718,780000
2005-9	610	Bone	376	Quadrant 1	Bone	1	409582,860000	353717,980000
2005-9	611	Bone	282	Quadrant 1	Bone	1	409573,360000	353720,620000
2005-9	612	Bone	376	Quadrant 1	Bone	1	409580,830000	353714,380000
2005-9	613	Bone	533	Quadrant 2	Bone	1	409576,310000	353729,510000
2005-9	614	Bone	376	Quadrant 1	Bone	1	409580,570000	353714,750000

2005-9	615	Bone	16989	Quadrant 4	Bone	1	409596,040000	353723,350000
2005-9	616	Tooth	16989	Quadrant 4	Bone	1	409595,370000	353723,610000
2005-9	617	Bone	16989	Quadrant 4	Bone	1	409595,860000	353723,590000
2005-9	618	Bone	16989	Quadrant 4	Bone	1	409594,540000	353722,410000
2005-9	619	Bone	17125	Quadrant 3	Bone	1	409588,690000	353732,960000
2005-9	620	Bone	16793	Quadrant 4	Bone	1	409591,220000	353716,550000
2005-9	621	Bone	16793	Quadrant 4	Bone	1	409591,220000	353716,550000
2005-9	622	Bone	16793	Quadrant 4	Bone	1	409591,220000	353716,550000
2005-9	623	Bone	16793	Quadrant 4	Bone	1	409591,710000	353716,820000
2005-9	624	Bone	16793	Quadrant 4	Bone	1	409591,710000	353716,820000
2005-9	625	Bone	17125	Quadrant 3	Bone	1	409587,660000	353733,060000
2005-9	626	Bone	17125	Quadrant 3	Bone	1	409587,660000	353733,060000
2005-9	627	Tooth	17125	Quadrant 3	Bone	1	409588,760000	353732,850000
2005-9	628	Bone	17125	Quadrant 3	Bone	1	409587,420000	353732,570000
2005-9	629	Bone	17125	Quadrant 3	Bone	1	409587,420000	353732,570000
2005-9	630	Bone	17125	Quadrant 3	Bone	1	409593,270000	353733,940000
2005-9	631	Bone	376	Quadrant 1	Bone	1	409576,600000	353712,020000
2005-9	632	Bone	282	Quadrant 1	Bone	1	409575,660000	353716,800000
2005-9	633	Bone	376	Quadrant 1	Bone	1	409575,660000	353716,800000
2005-9	634	Tooth	16793	Quadrant 4	Bone	1	409595,080000	353717,880000
2005-9	635	Bone	16793	Quadrant 4	Bone	1	409595,080000	353717,880000
2005-9	636	Bone	282	Quadrant 1	Bone	1	409573,940000	353720,740000
2005-9	637	Bone	282	Quadrant 1	Bone	1	409573,940000	353720,740000
2005-9	638	Bone	282	Quadrant 1	Bone	1	409573,940000	353720,740000
2005-9	639	Bone	17125	Quadrant 3	Bone	1	409587,450000	353732,590000
2005-9	640	Bone	17125	Quadrant 3	Bone	1	409587,450000	353732,590000
2005-9	642	Bone	376	Quadrant 1	Bone	1	409586,000000	353717,180000
2005-9	643	Bone	376	Quadrant 1	Bone	1	409583,030000	353716,450000
2005-9	643	Glass	253	Quadrant 2	Glass	1	409570,350000	353725,230000
2005-9	645	Bone	376	Quadrant 1	Bone	1	409585,850000	353717,040000
2005-9	646	Bone	376	Quadrant 1	Bone	1	409585,850000	353717,040000
2005-9	647	Bone	16793	Quadrant 4	Bone	1	409590,890000	353716,980000
2005-9	648	Bone	16793	Quadrant 4	Bone	1	409590,890000	353716,980000
2005-9	649	Bone	376	Quadrant 1	Bone	1	409580,050000	353713,220000
2005-9	650	Bone	376	Quadrant 1	Bone	1	409580,050000	353713,220000
2005-9	651	Bone	282	Quadrant 1	Bone	1	409573,070000	353719,940000
2005-9	651	Bone	376	Quadrant 1	Bone	1	409586,000000	353717,180000
2005-9	652	Tooth	282	Quadrant 1	Bone	1	409573,070000	353719,940000
2005-9	653	Bone	282	Quadrant 1	Bone	1	409573,070000	353719,940000
2005-9	654	Bone	376	Quadrant 1	Bone	1	409582,210000	353713,910000
2005-9	655	Bone	376	Quadrant 1	Bone	1	409582,210000	353713,910000
2005-9	656	Bone	376	Quadrant 1	Bone	1	409582,210000	353713,910000
2005-9	657	Bone	282	Quadrant 1	Bone	1	409574,660000	353715,610000
2005-9	658	Bone	282	Quadrant 1	Bone	1	409573,452700	353717,300200
2005-9	659	Bone	282	Quadrant 1	Bone	1	409575,430000	353716,010000
2005-9	660	Bone	376	Quadrant 1	Bone	1	409585,520000	353718,380000
2005-9	661	Bone	376	Quadrant 1	Bone	1	409585,520000	353718,380000
2005-9	662	Bone	376	Quadrant 1	Bone	1	409578,866700	353714,035200

2005-9	663	Bone	376	Quadrant 1	Bone	1	409584,850000	353717,340000
2005-9	664	Bone	376	Quadrant 1	Bone	1	409578,866700	353714,035200
2005-9	664	Bone	282	Quadrant 1	Bone	1	409574,000000	353720,520000
2005-9	665	Bone	376	Quadrant 1	Bone	1	409584,850000	353717,340000
2005-9	666	Bone	376	Quadrant 1	Bone	1	409584,850000	353717,340000
2005-9	667	Bone	282	Quadrant 1	Bone	1	409574,160000	353716,570000
2005-9	668	Bone	533	Quadrant 2	Bone	1	409578,770000	353734,120000
2005-9	669	Bone	533	Quadrant 2	Bone	1	409578,770000	353734,120000
2005-9	670	Bone	376	Quadrant 1	Bone	1	409579,960000	353714,750000
2005-9	671	Bone	376	Quadrant 1	Bone	1	409579,960000	353714,750000
2005-9	672	Bone	282	Quadrant 1	Bone	1	409573,430000	353716,520000
2005-9	673	Bone	282	Quadrant 1	Bone	1	409573,430000	353716,520000
2005-9	674	Bone	282	Quadrant 1	Bone	1	409573,430000	353716,520000
2005-9	675	Bone	282	Quadrant 1	Bone	1	409572,570000	353719,110000
2005-9	676	Bone	282	Quadrant 1	Bone	1	409572,570000	353719,110000
2005-9	676	Glass	328	Quadrant 2	Glass	7	409573,070000	353724,630000
2005-9	677	Bone	282	Quadrant 1	Bone	1	409572,570000	353719,110000
2005-9	678	Bone	282	Quadrant 1	Bone	1	409572,570000	353719,110000
2005-9	679	Bone	282	Quadrant 1	Bone	1	409572,570000	353719,110000
2005-9	680	Bone	282	Quadrant 1	Bone	1	409573,690000	353717,300000
2005-9	681	Bone	282	Quadrant 1	Bone	1	409573,690000	353717,300000
2005-9	682	Bone	Loose Find	---	Bone	1	---	---
2005-9	683	Bone	Loose Find	---	Bone	1	---	---
2005-9	684	Tooth	Loose Find	---	Bone	1	---	---
2005-9	685	Bone	282	Quadrant 1	Bone	1	409572,930000	353718,590000
2005-9	686	Bone	282	Quadrant 1	Bone	1	409572,930000	353718,590000
2005-9	687	Bone	282	Quadrant 1	Bone	1	409572,930000	353718,590000
2005-9	688	Bone	282	Quadrant 1	Bone	1	409572,930000	353718,590000
2005-9	689	Bone	16934	Quadrant 4	Bone	1	409597,610000	353723,320000
2005-9	690	Bone	16989	Quadrant 4	Bone	1	409594,100000	353722,680000
2005-9	691	Bone	533	Quadrant 2	Bone	1	409579,900000	353730,250000
2005-9	692	Bone	282	Quadrant 1	Bone	1	409572,930000	353718,590000
2005-9	693	Nail	Loose Find	---	Iron	1	---	---
2005-9	694	Bottle	Loose Find	---	Glass	1	---	---
2005-9	695	Button	Loose Find	---	Copper	1	---	---
2005-9	696	Glass	Loose Find	---	Glass	1	---	---
2005-9	697	Slate	Loose Find	---	Ceramic	1	---	---
2005-9	698	Iron Object	Loose Find	---	Iron	1	---	---

Samples

Context	Sample_No	Area	Decription	Material	Type	Reason for Sampling	Volume	Float
577	6595	Quadrant 2	Oxidised Deposit	Soil	Bulk	Dating	5 Ltr.	Y
229	6599	Quadrant 1	Midden Deposit	Soil	Bulk	Environmental	5 Ltr.	N
282	6603	Quadrant 1	Occupation Deposit	Soil	Bulk	Environmental	5 Ltr.	N
359	6607	Quadrant 1	Midden Deposit	Soil	Bulk	Environmental	5 Ltr.	N
376	6611	Quadrant 1	Agricultural Deposit	Soil	Bulk	Environmental	5 Ltr.	N

Matrix

